all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref.40 CFR 144.32)

NAME AND OFFICIAL TITLE		SIGNATURE	DATE SIGNED
1101 1001	Gard Manager	tick hood	3-2-2006
EPA Form 7520-7 (Rev.	8-01)		

						AL PROTECTION		pproval Expires	1/31/05	,
			DI 11		ASHINGTON, D).C. 20460 NDONMEN [*]	T DI ANI			
Name and	Address of Fac	11:4-2	PLU	GGING A	AND ABAI					
St Blair #5		iiity				Name and Add		Operator		
Blair Town						4030 Columbi				
	higan 49637					Kalkaska MI 4				
,	3					T California IVII 4	0040			
			State		County				Permit Number	
	/ell and Outline l Plat - 640 Acres	Jnit on	Michiga:		Grand Traver	se			MI-055-2D-C	2015
3600011	N Acres			cation Descriptio SE NE (T26N - R11W	LF.			
1 1		1 1				of quarter section a				
			Surface							
			Location		ft. From (N/S)		of Quarter Sec			
	*		And		ft. From (E/VV)	East Line	of Quarter Sec	tion		
			TYP	E OF AUTH	IORIZATION		WELL	Class I		Ü
				✓ Individua	l Permit		ACTIVITY	Haza	rdous	
				Area Pern	nit			Nonin	nazardous	
				_	ilic			☑ Class II		
		·		Rule				☑ Brine		
									ced Recovery	
	i		Number	of Wells	1			L Hydro	carbon Storage	3
L	 					-		Class III		
			Lease Na	ame	St Blair		Well Number	5-21 swd		
	CAS	ING AND TUBIN	G RECOF	RD AFTER PL	UGGING		METHOD OF	' EMPLACEMEN	T OF CEMEN	T PLUGS
SIZE	WT (LB/FT)	TO BE PUT IN WELL (FT)		TO BE LEFT IN WE	LL (FT)	HOLE SIZE				
16"	65#	90'		90'		Driven		ance Method		
11 3/4	42#	733'		733'		13 1/8		np Bailer Metho	d	
5 1/2	15.5#	1450'		1450'		10 5/8		Plug Method		
CEMENT	TO BLUC AND	D ABANDON D	ATA.	Di 44	DI #6		Oth			
	Pipe in Which Plug W		AIA;	Plug #1 10 5/8	Plug #2 5 1/5	Plug #3 5 1/2	Plug#4	Plug #5	Plug #6	Plug #7
	n of Tubing or Drill Pip			2046'	1400'	700'				
	nt To Be Used (each			317	50	94				
Calculated Top	To Be Pumped (cu. Ft of Plua (ft.)	.)		354 1400'	59 958'	111 surface				
	of Plug (if tagged, ft.)			0	0	0				
Slurry Weight (I	Lb./Gal.) t or Other Material (C	1		15,6	15.6	15.6				
		I HOLE AND/OI	D DEDEC	DATED IN	TEDVALS AN		ment retainer set in		- VADIED (:	
J.,11	From	HOLL AND/O	 	To	IERVALS AN	Fror		SING WILL BE		апу
	11011;			10		FIOI	11		То	
Estimated	Cost to Plug W	ells	1			<u> </u>				
cement \$4	,500									
	g unit \$1,500 ainer \$1,000									
miscellane				total \$9,500.	00					
					CERTIFICA	TION				

false information, including the possibility of fine and imprisonment. (Ref.40 CFR 144.32)

(Please type or print)

Signature

I certify under the penalty of law that I have examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting

Date Signed 3-2-2006

Kich Kool Gard, EPA Form 7520-14 (Rev. 8-01)

DEQ

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY - OFFICE OF GEOLOGICAL SURVEY

		Permit number	Well type	Current true	vertical depth
REQUEST FOR TRAN	ISFER OF PERMIT	34713	Brine Disposal	5630'	
		Well name and number	er		
Required by authority of Part 615 St Mineral Wells, Act 451 PA 1994 as an	upervisor of Wells or Part 525 mended, Non-submission and/or	State Blair #5-21			
falsification of this information may res	ult in fines and/or imprisonment.	Surface location			
		NW 1/4 SE 1		Section 21	T26N R11W
Part 615 Oil/Gas Well	Part 625 Mineral Well	Township Blair		County Grand Trave	erse
NOTE: Eligibility for permits is condition	ed upon compliance with the statute	s, rules and orders of th	e Department of En	vironmental C	uality. Permits shall
not be transferred to persons not in com- conditions at the well site until complian	pliance. A permit for a well shall no	it be transferred if the pe	ermittee is under not	ice because o	of unsatisfactory
This permit does not convey proper	ty rights in either real estate or ma	aterial nor does it auth	orize any injury to	private prope	erty or invasion of
private or public rights nor does it wa	live the necessity of seeking feder	ral and local permits o	or complying with c	ther state sta	atutes.
	TRANSFER O	F A PERMIT FROM:			
Name(s) of Selling Permittee(s)				Fed. I.D.# c	
Kalkaska Oil Field Services				38-308-3	604
Address: Number and Street, City or To		^		040.050	
4030 Columbus Drive, NE, PO E	łox 1090, Kalkaska, MI 4964	D		616-258-	6026
* **					
All permits rights and responsibilities are	discharged by:				
All partities rights and responsibilities are	, oconargou by				
Kalkaska Oil Field Services	Rick Root		Fietool		4-13-05
Permittee	Authorized representativ	e name	Signatu	re	Date
Permittee	Authorized representativ	re name	Signatu	re	Date
<u> </u>	6th 3		Sta-ak.		.
Permittee	Authorized representativ		Signatu	re	Date
Name(s) of Acquiring Permittee(s):	TRANSFER	OF A PERMIT TO:		Fed. I.D.# o	v S S #
SWD Specialities, LLC Address: Number and Street, City or To	wn, State, ZIP Code			EIN 20-3; Telephone	310760
4030 Colum	bus Drive, Kalkaska, M	ll 49646 - Bus: 2	231-258-9134	4	
(We are) (I am) an owner or authorized abandonment in conformity with the law	representative of the owner of the way, regulations and orders.	ell under this permit and	assume full respon	sibility for the	drilling, operation, and
BOND: Single Well X Atta		lorthwestern Bank			
☐ Blanket ☐ On F	File Bond Number LOC	#0511153	Amount_\$25,0	000	
☐ Statement of Financial	Responsibility				
All permittee rights and responsibilities a	re assumed by:		ı	4	
			M	11	11/. /.
SWD Specialties, LLC	George Molski		1/201	WW.	///23/05 Date
Permittee	Authorized representative	e name	Signatu	re -	Date
Permittee	Authorized representative	e name	Signatu	re	Date
, 5,,,,,,,,			-	•	
Permittee	Authorized representative	e name	Signatu	re	Date
	FOR DEPARTMENT OF ENVI	RONMENTAL QUALI	TY USE ONLY		
			D	istribution by [
Approved					Selling Owner
	Signature	D _i	ate 🗆	Field	Acquiring Owner
		OFOLOGICAL CURVE	·		

EQP 7200-7 (rev. 8/2004) Mall Original and 3 copies to:

OFFICE OF GEOLOGICAL SURVEY
MICHIGAN DEPT OF ENVIRONMENTAL QUALITY
PO BOX 30256
LANSING MI 48909-7756



625 S. Garfield Ave. P.O. Box 809 Traverse City, MI 49685-0809 (231) 947-5490

www.nwbank.com

Irrevocable Letter of Credit # 0511153

Date: November 15, 2005

Expiration Date: November 15, 2006

State Blair 5-21 well

Part 615 Supervisor of Wells, 1994 PA 451, as amended

Supervisor of Wells Michigan Department of Environmental Quality P.O. Box 30256 Lansing, MI 48909-7756

We hereby issue our Irrevocable Letter of Credit #0511153 in your favor on behalf of SWD Specialties, LLC hereinafter known as the Company, for a sum of Twenty Five Thousand Dollars (\$25,000.00), available by your drafts at sight drawn on our institution, Northwestern Bank. Drafts must be marked "Drawn under Northwestern Bank Letter of Credit # 0511153 dated November 15, 2005".

This letter is issued to provide financial assurance to the State of Michigan for the well known as State Blair 5-21.

The Supervisor of Wells may draw on this Letter of Credit in the event (1) that the Department of Environmental Quality issues a Notice of Violation indicating that the Company has failed to comply with the provisions of PART 615 SUPERVISOR OF WELLS, 1994 PA 451, as amended in the final completion of the aforesaid well or wells. "Final Completion" means the locating, drilling, completing, producing, reworking, plugging, filling of pits, and clean up of well site, including the filing of prescribed records and approval thereof by the Supervisor of Wells; or (2) that the Company fails to provide the Supervisor of Wells with an extension of this Letter of Credit or other financial assurance; or (3) that the Company is adjudged insolvent or bankrupt. The Company shall be deemed, for purposes of this Letter of Credit, adjudged bankrupt upon any petition under Title 11 of the United States Code, filed on the Debtors behalf, and an order for relief granted by any of the United States District of Bankruptcy Courts.

If any provision of this Letter of Credit is construed as ineffective by the court of competent jurisdiction, all other provisions of this Letter of Credit shall remain in full effect and be enforceable pursuant to the effective provisions contained herein.

This Letter of Credit is subject to the Uniform Customs and Practices for Documentary Letters of Credit, 1993 revision of the International Chamber of Commerce, Publication No. 500, and as to matters not governed by the Uniform Customs and Practice for Documentary Credits,

aforementioned, shall be governed by, and construed in accordance with the Uniform Commercial Code of the State of Michigan.

Partial drawings are permitted without canceling the Letter of Credit balance. This original Letter of Credit must be submitted to us together with any drawings thereunder for our endorsement of any payments affected by us and or cancellation.

It is a condition of this Letter of Credit that it shall be automatically extended for additional terms of one (1) year from the present or each future expiration date unless we give the Supervisor of Wells and the Company, at least ninety (90) days before said expiration date, written notice by certified mail, return receipt requested, or hand delivery, that we elect to terminate this Credit at the end of its then current term.

In the event we give notice of our election to terminate this Letter of Credit and SWD Specialties, LLC fails to replace this Letter of Credit with other financial assurances acceptable to the Department, you may draw on this Letter of Credit, up to the aggregate amount, less any prior drafts presented by the Department and paid by us, not sooner than thirty (30) days after the date of such notice by presentation of a draft marked "Drawn under Northwestern Bank Letter of Credit No. 0511153", accompanied by a statement purportedly signed by an authorized representative of the Department reading as follows:

"The Michigan Department of Environmental Quality is making this drawing because SWD Specialties, LLC has failed to replace this Letter of Credit with other financial assurances acceptable to the Department."

We hereby engage with you that drafts in conformity with the terms of this Letter of Credit will be duly honored upon presentation if presented on or after November 15, 2005 and on or before November 15, 2006. The amount of each draft must be endorsed on the reverse of this Letter of Credit by the negotiating financial institution.

William H. Green

Vice President

FOSTER, SWIFT, COLLINS & SMITH, P.C. Attorneys at Law



LANSING: 313 S. Washington Square Lansing, MI 48933-2193 PH: 517.371.8100 FX: 517.371.8200

FARMINGTON HILLS: Suite 230 32300 Northwestern Hwy. Farmington Hills, MI 48334-1571 PH: 248.539.9900 FX: 248.851.7504

GRAND RAPIDS: Suite 200 1700 East Beltlinc, N.E. Grand Rapids, MI 49525-2076 PH: 616.726.2200 FX: 616.726.2299 Walter S. Foster 1878-1961 Richard B. Foster 1908-1996 Theodore W. Swift 1928-2000 John L. Collins 1926-2001

Webb A. Smith Allan J. Claypool Gary J. McRay Robert J. McCullen Stephen I. Jurmu William K. Fahey Stephen O. Schultz William R. Schulz David H. Aldrich

acott A. Storev Charles A. Janssen Charles E. Barbieri James B. Jensen, Jr. Scott L. Mandel Michael D. Sanders Sherry A. Stein Brent A. Titus Brian A. Kaser Robert E. McFarland Stephen J. Lowney Patricia A. Calore Jean G. Schtokal Glen A. Schmiege Brian G. Goodenough Matt G. Hrebec Eric E. Doster Stephen J. Rhodes

Melissa I, Jackson Steven H. Lasher Nancy L. Kahn Deanna Swisher Mark J. Burzych Alan G. Gilchrist Thomas R. Meagher Douglas A. Mielock Peter R. Albertins Scott A. Chernich Donald E. Martin Paul J. Millenbach Dirk H. Beckwith Brian J. Renaud Bruce A. Vande Vusse Lynwood P. VandenBosch Lawrence Korolewicz James B. Doezema

Alan T. Rogalski Francis G. Seyferth Anne M. Seurvock Richard L. Hillman Andrea I. Hool Steven L. Owen Iennifer Kildea Dewane John P. Nicolucci Francis C. Flood Michael D. Homier Keith A. Castora Rebecca S. Davies Barbara J. Oyer Claire V. Groen Kirsten M. McNelly Emily L. Matthews Benjamin J. Price Ronald D. Richards, Jr.

Joseph E. Kozely
Pamela C. Dausman
Terrence G. Quinn
Jacqueline E. Bayley
Dana M. Bennett
Radhika P. Drake
Todd W. Hoppe
Sarah J. Gabis
Larry R. Jensen, Jr.
Alison R. Lievense
Eleanore M. Schroeder
Philip E. Hamilton

Of Coursel
Lawrence B. Lindemer
David VanderHaagen
Michael G. Harrison
Allan O. Maki
Frederick B. Bellamy
Gilbert M. Frimet
Deborah J. Williamson
Peter R. Tolley
Robert C. Greene
Scott H. Hogan
James B. Frakie
Mark J. Colon
Craig R. Petersen

Writer's Direct Phone: (517) 371-8155

Fax: (517) 68 45 7 7 Peny To: Lansin

February 21, 2006

FEB 22 2006

UIC BRANCH EPA REGION 5 Via Federal Express

Stephen Roy (WG165)
Underground Injection Control Program
United States Environmental Protection Agency
77 West Jackson Boulevard
Chicago, IL 60604-3590

Dear Sir:

Re: SWD Specialties/Transfer of UIC Permits

As you are aware, this office represents SWD Specialties, LLC, which informed your agency of the transfer of certain underground injection control permits from Kalkaska Oilfield Services to SWD Specialties, LLC. In that regard, you asked for the Plugging and Abandonment plans for those wells. We now enclose a copy of those plans for your reference. We would ask that you confirm that the agency will consider these UIC permits transferred at the time that the closing occurs regarding the transfer of the wells in question. If you have any questions or comments, please advise.

Very truly yours,

FOSTER, SWIFT, COLLINS & SMITH, P.C.

Charles E. Barbieri

CEB:cas

Enclosures

cc: George Molski (w/o enc.)

James B. Jensen, Jr. (w/out enc.)

Joe Quandt (w/out enc.)
Larry Organek (w/out enc.)

S:\156\Arrow\roy.doc

Estimated Cost to Plug Wells

cement \$4,500

rig or pulling unit \$1,500

cement retainer \$1,000

miscellaneous \$2,500

Name and Official Title

total \$9,500.00

CERTIFICATION

Date Signed

I certify under the penalty of law that I have examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. (Ref.40 CFR 144.32)

(Jacon	98 6	Molsky	1
		0-14 (Rev.	8-01)

(Please type or print)

FOSTER, SWIFT. COLLINS & SMITH, P.C. Attorneys at Law



LANSING: 313 S. Washington Square

Lansing, MI 48933-2193 PH: 517.371.8100 FX: 517.371.8200

FARMINGTON HILLS:

Suite 230 32300 Northwestern Hwy. Farmington Hills, MI 48334-1571 PH: 248.539.9900 FX: 248.851.7504

GRAND RAPIDS:

Suite 200 1700 East Beltline, N.E. Grand Rapids, MI 49525-2076 PH: 616.726.2200 FX: 616.726.2299

Walter S. Foster 1878-1961 Richard B. Foster 1908-1996 Theodore W. Swift 1928-2000 John L. Collins 1926-2001

Webb A. Smith Allan J. Claypool Gary J. McRay Robert J. McCullen Stephen I. Jurmu William K. Fahey Stephen O. Schultz William R. Schulz David H. Aldrich

A. Storey ررداes A. Janssen Charles E. Barbieri James B. Jensen, Jr. Scott L. Mandel Michael D. Sanders Sherry A. Stein Brent A. Titus Brian A. Kaser Robert E. McFarland Stephen J. Lowney Patricia A. Calore Jean G. Schtokal Glen A. Schmiege Brian G. Goodenough Matt G. Hrebec Eric E. Doster Stephen J. Rhodes

Melissa J. Jackson Steven H. Lasher Nancy L. Kahn Deanna Swisher Mark J. Burzych Alan G. Gilchrist Thomas R. Meagher Douglas A. Mielock Peter R. Albertins Scott A. Chernich Donald E. Martin Jennifer M. Van Horn Paul J. Millenbach Dirk H. Beckwith Brian I. Renaud Bruce A. Vande Vusse Lynwood P. VandenBosch Lawrence Korolewicz

James B. Doeze Alan T. Rogalski Francis G. Seyferth Anne M. Seurynck Richard L. Hillman Andrea J. Hool Steven L. Owen Jennifer Kildea Dewane John P. Nicolucci Francis C. Flood Michael D. Homier Keith A. Castora Rebecca S. Davies Barbara J. Oyer Claire V. Groen Kirsten M. McNelly Emily L. Matthews Benjamin J. Price

Ronald D. Richards, Jr. Joseph E. Kozely Pamela C. Dausman Terrence G. Ouinn lacqueline E. Bayley Dana M. Bennett Radhika P. Drake Todd W. Hoppe Sarah I. Gabis Larry R. Jensen, Ir. Alison R. Lievense Eleanore M. Schroeder Philip E. Hamilton

Of Counsel Lawrence B. Lindemer David VanderHaagen Michael G. Harrison Allan O. Maki Frederick B. Bellamy Gilbert M. Frimer Deborah I. Williamson Peter R. Tolley Robert C. Greene Scott H. Hogan James B. Frakie Mark I. Colon Craig R. Petersen

Writer's Direct Phone: 517. 371.8155

January 16, 2006

Fax: 517. 367.7155

Reply To: Lansing

JAN 17.2006

UIC BRANCH EPA REGION 5

Via Federal Express

UIC Branch (W-16J) United States Environmental Protection Agency Region V 77 West Jackson Blvd Chicago, IL 60604-3590

Dear Sir:

Permit Number: MI-055-2D-C015

Facility Name: State Blair #5-21

Permit Number: MI-079-2D-C008 Facility Name: Simpson #1-9

Permit Number: MI-079-2D-C016 Facility Name: Wlosinski 2-27

Permit Number: MI-079-2D-C001 Facility Name: Hogerheide #1-29 SWD

Permit Number: MI-065-2D-C007

Facility Name: Barber/Kopicko

Permit Number: MI-065-2D-C008 Facility Name: White Oak #1 SWD

Permit Number: MI-025-2D-C003√ Permit Number: MI-10-12D-C030

Facility Name: Kibler/Mather Facility Name: Tel B #2-25

Permit Number: MI-035-2D-C028 / Permit Number: MI-055-2D-C033

Facility Name: Miller #23-41 Facility Name: Wedow State Blair #2-28

As a matter of introduction, this law office represents SWD Specialities, LLC, which is in the process of acquiring the assignment of several leases and purchasing several specific properties which have underground injection control permits regulated by your agency. In an effort to facilitate the transfer of the above Underground Injection Control permits for these wells under 40 CFR 144.38(b), we are providing you with the current permittee's notification, a copy of a written agreement between the existing and new permittee. which contains information regarding the date of transfer and permit responsibility, coverage and liability and notice demonstrating financial responsibility requirements will

UIC Branch (W-16J) January 16, 2006 Page 2



be met by the new permittee. A closing, which is tied to completion of transferring not only these but also other permits, is not expected after February 16, 2005. In connection with the notice demonstrating financial assurance, you will see a letter authored by a principal of SWD Specialties, which attaches a copy of the Letter of Credit that it has obtained for the purpose of meeting similar financial assurance requirements for Michigan's oil & gas program regulated under Part 615 of the Natural Resources & Environmental Protection Act, as amended.

We hope and trust that this transmission is adequate to carry out the provisions of the automatic transfers. If you have any questions or comments, please advise as soon as possible.

Very truly yours,

FOSTER, SWIFT, COLLINS & SMITH, P.C.

US. B

Charles E. Barbieri

CEB:cas

Enclosures

cc:

George Molski

James B. Jensen, Jr. (w/out enc.)

Joe Quandt

David R. Davis, Permits and Bonding Unit

S:\156\ARROW\UIC1.WPD

United States Environmental Protection Agency 77 West Jackson Blvd. Chicago, IL 60604-3590

> Permit Number: MI-055-2D-C015 Facility Name: State Blair #5-21

To Whom It May Concern:

This letter is to provide notice of a transfer of an underground injection control permit from Kalkaska Oilfield Services of Kalkaska, Michigan, to SWD Specialties, LLC, 1019 Heatherton Road, P. O. Box 339, Johannesburg, MI 49751 [Bus # 989-732-0735/fax # 989-732-3714], pursuant to 40 CFR 144.38(b)(2). This notice includes a copy of the written agreement between the existing permit holder and the party purchasing the well property. Responsibility for this permit will be transferred on a date after January 15, 2006 when the parties are prepared to close in accordance with the October 5, 2005 Salt Water Disposal Well Purchase and Assignment Agreement.

This transfer will include permit responsibility, coverage and liability between the parties. The buyer, SWD Specialties, LLC, has met the requirements of Section 144.52(a)(7), and has the resources to close, plug and abandon the underground injection operation in a manner prescribed by the Director. See attached documentation.

Sincerely,

KALKASKA OILFIELD SERVICES

Name: Rick Root

Title: Area Manager

4030 Columbus Drive NÉ

P. O. Box 1090

Kalkaska, MI 49646

Bus # 616-258-6026

S:\323\EPA.LET.9.WPD

UIC PERMIT TRANSFER AGREEMENT

WHEREAS, Arrow Energy Services, Inc. ("Arrow") and Key Energy Services, Inc. ("Key") entered into an Asset Purchase Agreement on April 29, 2005 to, in part, allow for the transfer of certain underground injection control wells that are permitted in the name of Kalkaska Oilfield Services of Kalkaska, Michigan.

WHEREAS, WellTech Eastern, Inc., Kalkaska Oilfield Services, Inc., Key Energy Services, Inc., and SWD Specialties, LLC entered into a Salt Water Disposal Well Purchase and Assignment Agreement on October 5, 2005 to transfer certain wells.

WHEREAS, in accordance with the aforementioned agreements, SWD Specialties, LLC, will acquire the underground injection control wells: Hogerheide #1-29 SWD, permit MI-079-2D-C001; Simpson #1-9, permit MI-079-2D-C008; White Oak #1 SWD, permit MI-065-2D-C008; Miller #23-41, permit MI-035-2D-C028; Wedow State Blair #2-28, permit MI-055-2D-C033; State Blair #5-21, permit MI-055-2D-C015; Kibler/Mather, permit MI-025-2D-C003; Barber/Kopicko, permit MI-065-2D-C007; Wlosinski #2-27, permit MI-079-2D-C016; and Tel B #2-25, Permit MI-10-12D-C030 ("Underground Injection Control Wells").

WHEREAS, federal regulations require an agreement for transfer of the Underground Injection Control Well permits.

NOW, THEREFORE, in recognition of good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged and confessed, the parties hereto hereby agree as follows:

- 1. In accordance with 40 CFR 144.38(b)(2), Key and/or its wholly owned subsidiary, Kalkaska Oilfield Services, Inc., shall transfer the permit responsibility, coverage and liability for the Underground Injection Control Wells to SWD Specialties, LLC, on a date after January 15, 2006, when the parties are prepared to close in accordance with the October 5, 2005 Salt Water Disposal Well Purchase and Assignment Agreement.
- 2. SWD Specialities, LLC, can satisfy the financial responsibility requirements of 40 CFR 144.52(a)(7) for the Underground Injection Control Wells on or before the transfer date specified in paragraph 1 of this Agreement;

The parties hereto have executed this Transfer Agreement as of December $\frac{31}{1}$, 2005.

By Liek Root
Name: Rick Root
Title: Area Manager
4030 Columbus Drive NE
P. O. Box 1090

KALKASKA OILFIELD SERVICES, INC.

Kalkaska, MI 49646 Bus # 616-258-6026

KEY ENERGY SERVICES, INC.

Name: THOMAS G. MURPHY JR.

Title: VP- PERFURMENCE MANAGEMENT

6 Desta Drive

Midland, TX 79705

Bus # 7/3.851.3721

ARROW ENERGY SERVICES, INC.

Name: George Molski

Title: President 1019 Heatherton Road

D.O. Davidao

P. O. Box 339

Johannesburg, MI 49751 Bus # 989-732-0735

SWD SPECIALITIES, LLC

Name: George Molski

Title: Member

1019 Heatherton Road

P. O. Box 339

Johannesburg, MI 49751 Bus # 989-732-0735 Chief Underground Injection Control Branch U.S. Environmental Protection Agency 77 West Jackson Boulevard, WU-16J Chicago, IL 60604-3590

Dear Sir:

This letter requests that the attached State Bond # LOC 0511153 in the amount of \$25,000 be considered an acceptable mechanism for meeting the Federal Underground Injection Control program financial responsibility requirement for the following well:

1. Well Name:

State Blair #5-21

Well Location:

Township Blair

Range T2GN R11W

Section 21

NW 1/4 SE 1/4 NE 1/4

County Grand Traverse

3. UIC Application #

MI 055-2D-C015

4. SWD Specialties, LLC

5. Address

10915 Heatherton Road, PO Box 339, Johannesburg, MI 49751

6. Phone

(989) 732-0735

I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitted false information, including the possibility of fine and imprisonment. (Ref. 40 CFR 144.32)

George Mølski, Member

Signature

Date Signed

cc:

David R. Davis

S:\156\Arrow\34713.doc



625-S. Garfield Ave. P.O. Box 809 Traverse City, MI 49685-0809 (231) 947-5490

www.nwbank.com

Irrevocable Letter of Credit # 0511153

Date: November 15, 2005

Expiration Date: November 15, 2006

State Blair 5-21 well

Part 615 Supervisor of Wells, 1994 PA 451, as amended

Supervisor of Wells Michigan Department of Environmental Quality P.O. Box 30256 Lansing, MI 48909-7756

We hereby issue our Irrevocable Letter of Credit #0511153 in your favor on behalf of SWD Specialties, LLC hereinafter known as the Company, for a sum of Twenty Five Thousand Dollars (\$25,000.00), available by your drafts at sight drawn on our institution, Northwestern Bank. Drafts must be marked "Drawn under Northwestern Bank Letter of Credit # 0511153 dated November 15, 2005".

This letter is issued to provide financial assurance to the State of Michigan for the well known as State Blair 5-21.

The Supervisor of Wells may draw on this Letter of Credit in the event (1) that the Department of Environmental Quality issues a Notice of Violation indicating that the Company has failed to comply with the provisions of PART 615 SUPERVISOR OF WELLS, 1994 PA 451, as amended in the final completion of the aforesaid well or wells. "Final Completion" means the locating, drilling, completing, producing, reworking, plugging, filling of pits, and clean up of well site, including the filing of prescribed records and approval thereof by the Supervisor of Wells; or (2) that the Company fails to provide the Supervisor of Wells with an extension of this Letter of Credit or other financial assurance; or (3) that the Company is adjudged insolvent or bankrupt. The Company shall be deemed, for purposes of this Letter of Credit, adjudged bankrupt upon any petition under Title 11 of the United States Code, filed on the Debtors behalf, and an order for relief granted by any of the United States District of Bankruptcy Courts.

If any provision of this Letter of Credit is construed as ineffective by the court of competent jurisdiction, all other provisions of this Letter of Credit shall remain in full effect and be enforceable pursuant to the effective provisions contained herein.

This Letter of Credit is subject to the Uniform Customs and Practices for Documentary Letters of Credit, 1993 revision of the International Chamber of Commerce, Publication No. 500, and as to matters not governed by the Uniform Customs and Practice for Documentary Credits,

aforementioned, shall be governed by, and construed in accordance with the Uniform Commercial Code of the State of Michigan.

Partial drawings are permitted without canceling the Letter of Credit balance. This original Letter of Credit must be submitted to us together with any drawings thereunder for our endorsement of any payments affected by us and or cancellation.

It is a condition of this Letter of Credit that it shall be automatically extended for additional terms of one (1) year from the present or each future expiration date unless we give the Supervisor of Wells and the Company, at least ninety (90) days before said expiration date, written notice by certified mail, return receipt requested, or hand delivery, that we elect to terminate this Credit at the end of its then current term.

In the event we give notice of our election to terminate this Letter of Credit and SWD Specialties, LLC fails to replace this Letter of Credit with other financial assurances acceptable to the Department, you may draw on this Letter of Credit, up to the aggregate amount, less any prior drafts presented by the Department and paid by us, not sooner than thirty (30) days after the date of such notice by presentation of a draft marked "Drawn under Northwestern Bank Letter of Credit No. 0511153", accompanied by a statement purportedly signed by an authorized representative of the Department reading as follows:

"The Michigan Department of Environmental Quality is making this drawing because SWD Specialties, LLC has failed to replace this Letter of Credit with other financial assurances acceptable to the Department."

We hereby engage with you that drafts in conformity with the terms of this Letter of Credit will be duly honored upon presentation if presented on or after November 15, 2005 and on or before November 15, 2006. The amount of each draft must be endorsed on the reverse of this Letter of Credit by the negotiating financial institution.

William H. Green

Vice President

United States Environmental Protection Agency 77 West Jackson Blvd. Chicago, IL 60604-3590

> Permit Number: MI-055-2D-C015 Facility Name: State Blair #5-21

To Whom It May Concern:

This letter is to provide notice of a transfer of an underground injection control permit from Kalkaska Oilfield Services of Kalkaska, Michigan, to SWD Specialties, LLC, 1019 Heatherton Road, P. O. Box 339, Johannesburg, MI 49751 [Bus # 989-732-0735/fax # 989-732-3714], pursuant to 40 CFR 144.38(b)(2). This notice includes a copy of the written agreement between the existing permit holder and the party purchasing the well property. Responsibility for this permit will be transferred on a date after January 15, 2006 when the parties are prepared to close in accordance with the October 5, 2005 Salt Water Disposal Well Purchase and Assignment Agreement.

This transfer will include permit responsibility, coverage and liability between the parties. The buyer, SWD Specialties, LLC, has met the requirements of Section 144.52(a)(7), and has the resources to close, plug and abandon the underground injection operation in a manner prescribed by the Director. See attached documentation.

Sincerely,

KALKASKA OILFIELD SERVICES

Name: Rick Root

Title: Area Manager

4030 Columbus Drive NÉ

P. O. Box 1090

Kalkaska, MI 49646

Bus # 616-258-6026

S:\323\EPA.LET.9.WPD

UIC PERMIT TRANSFER AGREEMENT

WHEREAS, Arrow Energy Services, Inc. ("Arrow") and Key Energy Services, Inc. ("Key") entered into an Asset Purchase Agreement on April 29, 2005 to, in part, allow for the transfer of certain underground injection control wells that are permitted in the name of Kalkaska Oilfield Services of Kalkaska, Michigan.

WHEREAS, WellTech Eastern, Inc., Kalkaska Oilfield Services, Inc., Key Energy Services, Inc., and SWD Specialties, LLC entered into a Salt Water Disposal Well Purchase and Assignment Agreement on October 5, 2005 to transfer certain wells.

WHEREAS, in accordance with the aforementioned agreements, SWD Specialties, LLC, will acquire the underground injection control wells: Hogerheide #1-29 SWD, permit MI-079-2D-C001; Simpson #1-9, permit MI-079-2D-C008; White Oak #1 SWD, permit MI-065-2D-C008; Miller #23-41, permit MI-035-2D-C028; Wedow State Blair #2-28, permit MI-055-2D-C033; State Blair #5-21, permit MI-055-2D-C015; Kibler/Mather, permit MI-025-2D-C003; Barber/Kopicko, permit MI-065-2D-C007; Wlosinski #2-27, permit MI-079-2D-C016; and Tel B #2-25, Permit MI-10-12D-C030 ("Underground Injection Control Wells").

WHEREAS, federal regulations require an agreement for transfer of the Underground Injection Control Well permits.

NOW, THEREFORE, in recognition of good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged and confessed, the parties hereto hereby agree as follows:

- 1. In accordance with 40 CFR 144.38(b)(2), Key and/or its wholly owned subsidiary, Kalkaska Oilfield Services, Inc., shall transfer the permit responsibility, coverage and liability for the Underground Injection Control Wells to SWD Specialties, LLC, on a date after January 15, 2006, when the parties are prepared to close in accordance with the October 5, 2005 Salt Water Disposal Well Purchase and Assignment Agreement.
- 2. SWD Specialities, LLC, can satisfy the financial responsibility requirements of 40 CFR 144.52(a)(7) for the Underground Injection Control Wells on or before the transfer date specified in paragraph 1 of this Agreement;

The parties hereto have executed this Transfer Agreement as of December $\frac{31}{1}$, 2005.

By Liek Root
Name: Rick Root
Title: Area Manager
4030 Columbus Drive NE
P. O. Box 1090

KALKASKA OILFIELD SERVICES, INC.

Kalkaska, MI 49646 Bus # 616-258-6026

KEY ENERGY SERVICES, INC.

Name: THOMAS G. MURPHY JR.

Title: VP- PERFURMENCE MANAGEMENT

6 Desta Drive

Midland, TX 79705

Bus # 7/3.851.3721

ARROW ENERGY SERVICES, INC.

Name: George Molski

Title: President 1019 Heatherton Road

D.O. Davidao

P. O. Box 339

Johannesburg, MI 49751 Bus # 989-732-0735

SWD SPECIALITIES, LLC

Name: George Molski

Title: Member

1019 Heatherton Road

P. O. Box 339

Johannesburg, MI 49751 Bus # 989-732-0735 Chief Underground Injection Control Branch U.S. Environmental Protection Agency 77 West Jackson Boulevard, WU-16J Chicago, IL 60604-3590

Dear Sir:

This letter requests that the attached State Bond # LOC 0511153 in the amount of \$25,000 be considered an acceptable mechanism for meeting the Federal Underground Injection Control program financial responsibility requirement for the following well:

1. Well Name:

State Blair #5-21

Well Location:

Township Blair

Range T2GN R11W

Section 21

NW 1/4 SE 1/4 NE 1/4

County Grand Traverse

3. UIC Application #

MI 055-2D-C015

4. SWD Specialties, LLC

5. Address

10915 Heatherton Road, PO Box 339, Johannesburg, MI 49751

6. Phone

(989) 732-0735

I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this document and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitted false information, including the possibility of fine and imprisonment. (Ref. 40 CFR 144.32)

George Mølski, Member

Signature

Date Signed

cc:

David R. Davis

S:\156\Arrow\34713.doc



625-S. Garfield Ave. P.O. Box 809 Traverse City, MI 49685-0809 (231) 947-5490

www.nwbank.com

Irrevocable Letter of Credit # 0511153

Date: November 15, 2005

Expiration Date: November 15, 2006

State Blair 5-21 well

Part 615 Supervisor of Wells, 1994 PA 451, as amended

Supervisor of Wells Michigan Department of Environmental Quality P.O. Box 30256 Lansing, MI 48909-7756

We hereby issue our Irrevocable Letter of Credit #0511153 in your favor on behalf of SWD Specialties, LLC hereinafter known as the Company, for a sum of Twenty Five Thousand Dollars (\$25,000.00), available by your drafts at sight drawn on our institution, Northwestern Bank. Drafts must be marked "Drawn under Northwestern Bank Letter of Credit # 0511153 dated November 15, 2005".

This letter is issued to provide financial assurance to the State of Michigan for the well known as State Blair 5-21.

The Supervisor of Wells may draw on this Letter of Credit in the event (1) that the Department of Environmental Quality issues a Notice of Violation indicating that the Company has failed to comply with the provisions of PART 615 SUPERVISOR OF WELLS, 1994 PA 451, as amended in the final completion of the aforesaid well or wells. "Final Completion" means the locating, drilling, completing, producing, reworking, plugging, filling of pits, and clean up of well site, including the filing of prescribed records and approval thereof by the Supervisor of Wells; or (2) that the Company fails to provide the Supervisor of Wells with an extension of this Letter of Credit or other financial assurance; or (3) that the Company is adjudged insolvent or bankrupt. The Company shall be deemed, for purposes of this Letter of Credit, adjudged bankrupt upon any petition under Title 11 of the United States Code, filed on the Debtors behalf, and an order for relief granted by any of the United States District of Bankruptcy Courts.

If any provision of this Letter of Credit is construed as ineffective by the court of competent jurisdiction, all other provisions of this Letter of Credit shall remain in full effect and be enforceable pursuant to the effective provisions contained herein.

This Letter of Credit is subject to the Uniform Customs and Practices for Documentary Letters of Credit, 1993 revision of the International Chamber of Commerce, Publication No. 500, and as to matters not governed by the Uniform Customs and Practice for Documentary Credits,

aforementioned, shall be governed by, and construed in accordance with the Uniform Commercial Code of the State of Michigan.

Partial drawings are permitted without canceling the Letter of Credit balance. This original Letter of Credit must be submitted to us together with any drawings thereunder for our endorsement of any payments affected by us and or cancellation.

It is a condition of this Letter of Credit that it shall be automatically extended for additional terms of one (1) year from the present or each future expiration date unless we give the Supervisor of Wells and the Company, at least ninety (90) days before said expiration date, written notice by certified mail, return receipt requested, or hand delivery, that we elect to terminate this Credit at the end of its then current term.

In the event we give notice of our election to terminate this Letter of Credit and SWD Specialties, LLC fails to replace this Letter of Credit with other financial assurances acceptable to the Department, you may draw on this Letter of Credit, up to the aggregate amount, less any prior drafts presented by the Department and paid by us, not sooner than thirty (30) days after the date of such notice by presentation of a draft marked "Drawn under Northwestern Bank Letter of Credit No. 0511153", accompanied by a statement purportedly signed by an authorized representative of the Department reading as follows:

"The Michigan Department of Environmental Quality is making this drawing because SWD Specialties, LLC has failed to replace this Letter of Credit with other financial assurances acceptable to the Department."

We hereby engage with you that drafts in conformity with the terms of this Letter of Credit will be duly honored upon presentation if presented on or after November 15, 2005 and on or before November 15, 2006. The amount of each draft must be endorsed on the reverse of this Letter of Credit by the negotiating financial institution.

William H. Green

Vice President

OCT OF 1997

SURETY PERFORMANCE BOND

Full document is in Welltech general file

U.S. Environmental Protection Agency Underground Injection Control Financial Responsibility Requirement

BOND COVERS THE PLUGGING OF INJECTION WELLS
Date bond executed:JULY 22, 1997
Effective date: JULY 22, 1997
Principal: KALKASKA OILFIELD SERVICES, INC. (Legal name of owner or operator)
MI CONTRACTOR OF THE CONTRACTO
5976 VENTURE WAY, MT. PLEASANT, MICHIGAN 48858 (Business address of owner or operator)
Type of organization:CORPORATION
(Individual, joint venture, partnership, or corporation)
State of incorporation: MICHIGAN
Surety(is): UNITED PACIFIC INSURANCE COMPANY
(Name)
4 PENN CENTER PLAZA, PHILADELPHIA, PA 19103
(Business Address)
EPA identification number, name, address, and plugging and abandonmen amount(s) for each injection well guaranteed by this bond. (Indicat plugging and abandonment amounts for each well. Attach separate lis if necessary.)
Injection Well Information Wedow St. Blair MI-055-2D-C033 State Blair #5-21 MI-055-2D-C015 Hogerheide #1-2 MI-079-2D-C001 Simpson #1-9 MI-079-2D-C008 (in process) Barber-Kopicko #1-6 MI-065-2D-C007 Kibler-Mather #1-27 MI-025-2D-C033 Miller #23-41 MI-035-2D-C028 Total penal sum of bond: \$73.507.00**
Surety's bond number: U2723753



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

JUN 16 1997

REPLY TO THE ATTENTION OF: WU-17J

<u>CERTIFIED MAIL</u> P 140 676 390 RETURN RECEIPT REQUESTED

David Stoops Kalkaska Oilfield Services 418 South Maple Street Kalkaska, Michigan 49646

Re: Minor-Modified Underground Injection Control (UIC) Permits #MI-025-2D-C033, MI-055-2D-C015, MI-055-2D-C033, MI-065-2D-C007 and #MI-079-2D-C001

Dear Mr. Stoops:

Enclosed are the final minor-modified pages for the Kalkaska Oilfield Services Kibler-Mather #1-27 (USEPA Permit #MI-025-2D-C033), State Blair #5-21 (USEPA Permit #MI-055-2D-C015), Wedow State Blair #2-28 (USEPA Permit #MI-055-2D-C033), Barber-Kopicko #1-6 (USEPA Permit #MI-065-2D-C007) and Hogerheide #1-29 SWD (USEPA Permit #MI-079-2D-C001) permits. They replace the correlated pages in the existing permits. Pursuant to 40 CFR 144.41(a), these permits are modified as follows:

Page/Permit Condition

Modification

Page 12/Reporting Requirements

Clarify item II(B)(3)(b)(ii) to apply to brine and non-brine injectate

In addition, pursuant to 40 CFR 144.41(e), the Kalkaska Oilfield Services permits for the "north set" of wells (Wedow State Blair #2-28, State Blair #5-21 and Hogerheide #1-2%) were modified as follows:

Page/Permit Condition

Modification

Attachment D/List of Approved Sources

Add sources N82: Essexville; N83 Pinconning West & South; N84 Rose City etelle



KALKASKA OILFIELD SERVICES

500 So. Maple Street, P.O. Box 427 Kalkaska, Michigan 49646 Telephone 616-258-9134 RECEIVED

AUG 1 3 1996

EPA - KLUIUN V

August 5, 1996

U.S. Environmental Protection Agency Region 5 77 West Jackson Blvd. Chicago, IL 60604-3590

Re:

Hogerheide #1-29 SWD/Permit #MI-079-2D-C0001

State Blair #5-21 SWD/Permit #MI-055-2D-C015

Dear Sirs:

We have acknowledged your letter of final action in the Revoke-and-Reissue of the above referenced permits. We are responding with written notification that we have read and are familiar with the conditions of the received final USEPA permits.

If you have questions or need further information, please feel free to contact me at your earliest convenience.

Sincerely,

Dennis Hogerheide

President

mlj/DLS

Well Management Services, Inc.

222 E. Dansville Road, Dansville, Michigan 48819 (517) 623-6518

November 17, 1986

U.S. Environmental Protection Agency Region 5 Class IID Salt Water Disposal Permit Agent 230 South Dearborn St. Chicago, Illinois 60604

Dear Sir:

Pursuant to your request of Oct. 30, 1986, and to C.F.R. 40 §144.25, Kalkaska Oil Field Service, Inc., hereby submits a complete permit application for an existing Class IID salt water disposal well, Michigan permit #MIS 34713. The subject well, the State Blair #5-21, is located in the NW $\frac{1}{4}$, SE $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 21, T26N, R11W, Blair Township, Grand Traverse County, Michigan. If you have any questions regarding the enclosed, please call me at the above number or Kalkaska Oil Field Service, Inc., at (616) 258-9134.

Sincerely,

T.L. Baker

Well Management Services, Inc.

on behalf of Kalkaska Production Company

RECEIVED

DEC 0 1 1986

UIC SECTION V

APPLICATION FOR PERM. TO DRILL:A\WELL | FOR OIL, GAS, BRINE DISPOSAL, HYDROCARBON STORAGE OR FOR SECONDARY RECOVERY

MAIL TO:
Rev. 12
NOT: 15 15 6 STATE OF MICHIGAN
DEPARTMENT OF NATURAL RESOURCES
GEOLOGICAL SURVEY DIVISION
Box 30028, Lansing, Michigan 48909

2. Canary - Cashier

3. Blue - Field

5. Green - Applicant

32716

Under Authority of Act 61, P.A. of 1939, As Amended.

OCATE WELL AND OUTLINE UNIT ON SECTION PLAT 640 ACRES	1. Application to drill a w	9-12-78	3. Fee enclosed \$ 100.00
Dose) completely were provided of		it is on the surety bond(s)	
	5. Permanent address	igan Exploration Company	6. Phone
	1 Jackson Squ	are PO Box 1150 Jackson, MI	49204 517-787-901
- 1	7. Lease name (owner of		8. Well No.
	State of Kick 9. Surface owner		3-21
	Same		
Sec 21	10. Address		11. Phone
	12,3 Drilling contractor.	Angel de la	
	全名	ern Drilling Company	
	13. Address A.		14. Phone
S			<u>511-732-27</u>
FOR DIRECTIONALLY DRILLED HOLE SEE INSTRUCTIONS ON	15. Surface location & /	5B % of BE % Section 21	T 268 R 11V
REVERSE SIDE.	16. Township	17. County	
LLY DRILLED, Commission Val	Blair	A STATE OF THE STA	Grand Traverse
Locate well in two directions from neares			
Ft. From South	Line of quarter section	(east-w	
North Borth	Unit line	660 Ft. From Eas	Unit line
(north-south) and the second of the second	Ft. From (east-w	est)
(north-south Kind of tools to be used. (Cable, rotary, Rotary Program of casing, sealing, cementing and	combination); 20. Form	(east-w pation in which well is to be completed Fingaren ERSE SIDE)	est) 21. Intended depth of well 5900
(north-south Kind of tools to be used (Cable, rotary, Rotary Program of casing, sealing, cementing and Approx. 100' of 16" cos Approx. 650' of 11 3/4' Approx. 3400' of 8 5/8'	combination): 20. Form decompleting well (SEE REV aduator pipe drive surface casing a intermediate cas	ration in which well is to be completed Fisgaren ERSE SIDE) M., Lemented to surface. Ling installed in secondance	21. Intended depth of well 5900.
(north-south Kind of tools to be used (Cable, rotary, Rotary) Program of casing, sealing, cementing and Approx. 100' of 16" cor Approx. 650' of 11 3/4 Approx. 3400' of 8 5/6' 5's" production casing and the sealing of the sealing o	combination). 20. Form decompleting well (SEE REV aductor pipe drive surface casing a intermediate cas at f.D. if necesse	ration in which well is to be completed **Lagaran** ERSE SIDE) In	21. Intended depth of well 5900!
(north-south Kind of tools to be used (Cable, rotary, Rotary) Program of casing, sealing, cementing and Approx. 100' of 16" cor Approx. 650' of 11 3/4' Approx. 3400' of 8 5/6' 5'2" production casing and the sealing of the sealing	combination): 20. Form dcompleting well (SEE REV aductor pipe drive surface casing a intermediate cas at f.D. if necessar	east-wation in which well is to be completed Fiagaran ERSE SIDE) In the second to surface, sing installed in accordance any and cemented as required.	21. Intended depth of well 5900 s
(north-south Kind of tools to be used (Cable, rotary, Rotary Program of casing, sealing, cementing and Approx. 100' of 16" cos Approx. 650' of 11 3/4' Approx. 3400' of 8 5/6' 5's" production casing a HOTE: A survey of clear	combination) 20. Form dcompleting well (SEE REV aductor pipe drive surface casing a intermediate cas at f.D. if necessar ration will be tak	ration in which well is to be completed Fisgaran ERSE SIDE) M. Temested to surface. Ting installed in accordance ary and executed as required ten on subject well as required.	21. Intended depth of well 5900! with 80 /2-73, Amen. red.
(north-bouth Kind of tools to be used (Cable, rotary, Rotary Program of casing, sealing, cementing and Approx. 100' of 16" cor Approx. 650' of 11 3/4' Approx. 3400' of 8 5/6' 5'2" production casing a CASING IS NOT TO BE ABOVE WITHOU	combination). 20. Form decompleting well (SEE REV aduator pipe drive surface casing a intermediate cas at f.D. if necessa ration will be tak STRIPPED FROM THE HOLE TAPPROVAL OF THE SUPER THE PROVISIONS OF ACT 61, ETING, PRODUCING, AND PLA	Ration in which well is to be completed Riagaran ERSE SIDE) En. Remeated to surface. Fing installed in accordance ary and cemented as required accordance	21. Intended depth of well 5900 \$ with 80 /2-73, Amen. red. ROGRAM OUTLINED RESENTATIVE
(north-south Kind of tools to be used (Cable, rotary, Rotary Program of casing, sealing, cementing and Approx. 100' of 16" cor Approx. 650' of 11 3/4' Approx. 3400' of 8 5/8' 5'1" production casing a EOTE: A survey of clear APPLICANT AGREES TO COMPLY WITH DRILLING, CASING, SEALING, COMPLE	combination). 20. Form decompleting well (SEE REV aduator pipe drive surface casing a intermediate cas at f.D. if necessa ration will be tak STRIPPED FROM THE HOLE TAPPROVAL OF THE SUPER THE PROVISIONS OF ACT 61, ETING, PRODUCING, AND PLA	ration in which well is to be completed **Eagaran** ERSE SIDE) In. Presented to surface. Installed in accordance ary and comented as required as required as required and the surface are and comented as required and no change is to be made in the purison of wells on his authorized Representation of the public acts of 1939, as amended, and re-	21. Intended depth of well 5900 \$ with 80 /2-73, Amen. red. ROGRAM OUTLINED RESENTATIVE
CASING IS NOT TO BE ABOVE WITHOUT APPLICANT AGREES TO COMPLY WITH DRILLING, CASING, SEALING, COMPLE NEAREST FIELD OFFICE. (See reverse site and correspondence and permit to:	combination). 20. Form decompleting well (SEE REV aduator pipe drive surface casing a intermediate cas at f.D. if necessa ration will be tak STRIPPED FROM THE HOLE TAPPROVAL OF THE SUPER THE PROVISIONS OF ACT 61, ETING, PRODUCING, AND PLA	AND NO CHANGE IS TO BE MADE IN THE PUBLIC ACTS OF 1938, AS AMENDED, AND RU LUGGING OF WELLS. BEFORE COMMENCING D	21. Intended depth of well 5900! With 80 #2-73, Amen. ROGRAM OUTLINED RESENTATIVE DIES PERTAINING TO THE LOCATING RILLING OPERATIONS, CONTACT TO 24. Phone
CASING IS NOT TO BE ABOVE WITHOUT APPLICANT AGREES TO COMPLY WITH DRILLING, CASING, SEALING, COMPLE WITHOUT AREST FIELD OFFICE. (See reverse since the control of the complete	combination). 20. Form decompleting well (SEE REV addictor pipe drive surface casing a intermediate cas at f.D. if necessar ration will be tak STRIPPED FROM THE HOLE T APPROVAL OF THE SUPER THE PROVISIONS OF ACT 61, ETING, PRODUCING, AND PLE de) Prese City, MI 496	AND NO CHANGE IS TO BE MADE IN THE PLYISOR OF WELLS OR HIS AUTHORIZED REPF	21. Intended depth of well 5900 \$ with 80 /2-73, Amen. red. ROGRAM OUTLINED RESENTATIVE DIES PERTAINING TO THE LOCATING PRINTING OPERATIONS, CONTACT TO \$ 24. Phone 616-946-0756
CASING IS NOT TO BE ABOVE WITHOUT DRILLING, CASING, SEALING, COMPLE NEAREST FIELD OFFICE. (See reverse states) Address Address Address Address Address Address Address Address Address Action Casing is not to be above without the complete states and permit to: Address	combination). 20. Form decompleting well (SEE REV addictor pipe drive surface casing a intermediate cas at f.D. if necessar ration will be tak STRIPPED FROM THE HOLE T APPROVAL OF THE SUPER THE PROVISIONS OF ACT 61, ETING, PRODUCING, AND PLE de) Prese City, MI 496	AND NO CHANGE IS TO BE MADE IN THE PIVISOR OF WELLS. BEFORE COMMENCING D.	21. Intended depth of well 5900 Vith 80 /2-73, Amend ROGRAM OUTLINED RESENTATIVE ULES PERTAINING TO THE LOCATINALLING OPERATIONS, CONTACT TO 24. Phone 616-946-0756

			·		
	•				
					-9.
					2012 12 889 881 12 270

STATE OF MICHIGAN

DEPARTMENT OF NATURAL RESOURCES

SUPERVISOR OF WELLS

PERMIT TO DRILL

For Auditing Only

4896

(POST WHITE COPY OF PERMIT AT WELL LOCATION)

Permit No	32,716	Issu	e Date	Novembe	r 14, 1	978 T	ermination	Date	November	
Permission is	horohy	granted to	Nor	thern Mi	chigan	Explor	ation Co	apany		
r ermission is	. Hereby	granted to	l J		wner quare,	P. O.	Box 1150	, Jacks	on, MI	49204
Lease Name.	S	tate-Blair			ldress	v	_Well Nun	iber	3-21	
Location	ne≵ se	之 NEt Sect	ion 21	. T.26N.	, R.11	., Bla	iir Twp.,	Grand '	Travers	2 Co.
Footages	860' £	rom south	and 66	0 from	east li	ne of	quarter	section		
	4651 f	rom north	and 66	O' from	east w	cie lin	1e			
Type of Well O	il and/	or GKind	of Rc	tary		ctive nation_	Niegera		ended oth	59001
This permit or orders iss							tural Resou	irces.		
					P-			EVISOR O	76-1	elan,

CASING AND SEALING REQUIREMENTS

Approx. 100' of 16" conductor pipe driven. Approx. 650' of 11 3/4" surface casing, cemented to surface. Approx. 3400' of 8 5/8" intermediate casing installed in accordance with 5.0. \$2-73, amended. 5%" production casing at TD, if necessary, and cemented as required.

(Note: A survey of elevation will be taken on subject well as required.)

NOTICE

IT IS FURTHER MADE A REQUIREMENT OF THIS PERMIT that the applicant give notice to the Public Utilities in accordance with Act 53, P.A. 1974 C.L. 460.701 to 460.718 and comply with each of the requirements of the act.

DRILLING PERMIT ISSUED on the basis of the drilling, casing and sealing program as outlined on the application for permit and subject to requirements as set forth above. No change or alteration is to be made without the permission and approval of the Supervisor of Wells or his authorized representative.

DRILLING OPERATIONS ARE NOT TO BE COMMENCED until all the well location requirements have been completed and the permit has been posted in a conspicuous place at the well site. The nearest field office of the Department of Natural Resources must be notified prior to the commencement of drilling, deepening, reworking, and plugging.

DEPARTMENT FIELD OFFICES

Region	II, RoscommonPhone 517	Lansing	
	CadillacPhone 616	E. Lansing	517-339-8638
	GaylordPhone 517	Imlay City	
	GraylingPhone 517	Plainwell	616-685-6851
* "	Mt. PleasantPhone 517	Grand Rapids	616-456-5071

			:
			· :
			:

STATE OF MICHIGAN DEPARTMENT OF NATURAL RESOURCES GEOLOGY DIVISION

SURVEY RECORD OF WELL LOCATION

(Submit in quadruplicate with Application for Permit to Drill a Well for Oil or Gas, Brine Disposal, Secondary Recovery, or Gas or L.P.G. Storage)

7	O	2	2	
1	Ö	J	J	1

LESSEE (OWNER OF LEASE RIGHTS) NORTHERN MICHIGAN EXPLORATION COMPANY WELL NO. LESSOR (OWNER OF MINERAL RIGHTS) 3 - 21(State-Blair 3-21) State of Michigan LOCATION 14 SECTION 2] ⊤ 26N R.]]W **%** OF NE 14 OF COUNTY TOWNSHIP Grand Traverse Blair 1. Outline drilling unit and spot well location on plat PLAT BELOW REPRESENTS ONE FULL SECTION at left. Where drilling unit crosses section lines, N (1 Mile Square) divide the plat into an east half and a west half OR a north half and a south half (which ever applies). Outline the unit and locate the well in two directions from NEAREST quarter section and unit lines. 2. Location of well in two directions from NEAREST quarter section and unit lines is: S 1/2 of NE:1/4 860 ft. from South line of Quarter Section 660 <u>660</u> ft. from <u>East</u> _line of Quarter Section 465 ft. from North line of unit <u>660</u> ft. from <u>East</u> _line of unit SECTION 21 3. Describe wellsite marker. Show or describe access route if it is not readily accessible. Well site is marked with a red painted wood stake. Access to the site may be obtained by the use of an existing trail road beginning at the North 1/4 Corner of Section 21, then running South and Easterly near the well site. (Scale of Plat - 1 inch equals 1320 ft.) 4. ON SEPARATE PLAT OR PLOT PLAN: A. Locate, identify, and show distances to all roads, power lines, residences, farm be structures within 300 feet of the stake; B. Locate, identify, and show distances to all lakes, streams, swamps, drainag surface water features within 1320 feet of the stake. 5. In an ENVIRONMENTAL IMPACT ASSESSMENT describe all structures and surface features shown detailing plans for hazards prevention and erosion control (See instructions and guidelines for preparation of an environmental impact assessment). NAME OF INDIX QUAL WHO SURVEYED WELL SITE TITLE DATE President Jerry L. Wilcox, RLS #14102 8-25-78 Manton, Michigan 49663 L. WILCOX & ASSOCIATES, INC. 7230 North U.S. 131 I CERTIFY THE ABOVE INFORMATION IS COMPLETE AND ACCURATE TO THE BEST OF MY KNOWLEDGE AND BELIEF DATE (MONTH, DAY, YEAR) SIGNATURE (LESSEE OR AUTHORIZED REPRESENTATIVE) ADDRESS (IF DIFFERENT THAN LESSEE) **ソーフ**チ

					\mathbf{v}_i^2
		•	w e		
			·.		
				4	
					ş 1
					3 - 1 3 - 1
					87
					•
*					
		•			
·					

STATE OF MICHIGAN
DEPARTMENT C \TURAL RESOURCES

SEP 14 1979

DEEPENING PERMIT NUMBER

LOG OF OIL, GAS, DISPOSAL OR STORAGE WELL (ACT 61)
Submit in DUPLICATE Within 30 Days after Well Completion

PANSING HAS ORIGI	NAL CORY	•				18 197				
NAME STE ADDRESS OF OWNER	S) SHOWN ON PERMIT		NAME & AD	AME & ADDRESS OF DRILLING CONTRACTOR(S)						
Northern Michigan Exp		y	L & G Drilling Company							
One Jackson Square, P Jackson, MI 49204			3959 E. River Road Mt. Pleasant, MI 48858							
LEASE NAME(S) & WELL NUMBER State-Blair #3-21	SHOWN ON PERMIT	######################################			DIRECTIONALL YES NO					
SURFACE LOCATION	SECTION	TOWNSHI	P	RANGE	TOWNSHIP NAM	ie .				
NE SE NE	21		26N	llW	Blair					
FOOTAGES (North/South) 860 Ft. from South	Line and 660		ast/West) East_Lin	e of quarter section	COUNTY NAME Grand Trav					
SUBSURFACE LOCATION	SECTION	TOWNSHI	P	RANGE	TOWNSHIP NAM	1E				
FOOTAGES (North/South)		(ε	ast/West)	<u></u>	COUNTY NAME					
Ft. from	Line and	_ Ft. from _	Lir	ne of quarter section						
DRILLING BEGUN 6/13/79	TOTAL DEPTH OF WE		TYPE WELL) \$ A	ELEVA	ATIONS				
DRILLING COMPLETED FORMATION AT T.D. 6/29/79 Gray Niagaran		garan	From 0	To 5827	к.в. 900 . 3	898.5				
WELL COMPLETED	PRODUCING FORMATION(S)		FT. DRLD. — CABLE TOOLS From		B.T	Grd. 885 .				
<u> </u>				0.50.50	ND 4 TI ONC					

CASING, CASING LINERS AND CEMENTING

SIZE	WHERE SET	CEMENT	Ft. Pulled		NUMBER		OPI	EN ,
16"	64 '	Driven	DATE HOLES INTERVAL PERFORAT		INTERVAL PERFORATED	YES	NO	
11 3/4"	652'	425		7/17/79	5	5591'-5598'		X
8 5/8"		200	26171	7/31/79	10	5507'-5551'		Х
5 1/2"	5821'	350		8/3/79	10	55581-55811		x
								<u> </u>

GROSS PAY INTERVALS

ALL OTHER OIL AND GAS SHOWS OBSERVED OR LOGGED

FORMATION	OIL OR GAS	FROM	TO	то			WHERE OBSERVED (X)					
Niagaran	OIL OIL GAS	5475	5628	FORMATION	OIL OR GAS	DEPTH	Sam- ples	Odor	Pits	Mud Line	Gas Log.	Fili Up
											<u> </u>	
												<u> </u>

STIMULATION BY ACID OR FRACTURING

WATER FILL UP (F.U.) OR LOST CIRCULATION (L.C.) (X)

DATE	Interval Treated	Materials and amount used	FORMATION	F.U.	L.C.	DEPTH	AMOUNT
7/17/79	5591'-5598'	1650 gals 28% HCL				 	
7/31/79	5507'-5551'	10,000 gals 28% HCL					
		13,340 gals Water					
8/9/79	5558'-5581'	2500 gals 28% HCL					

MECHANICAL LOGS, LIST EACH TYPE RUN

DEPTH CORRECTION DEVIATION SURVEY **PLUGGED BACK**

Brand	(x)	LOG TYPES	LOGGED INTERVALS	DEPTH	CORRECT'N	RUNAT	DEGREES	YES	NO	DEPTH
Schlumberger	X	MLL	5298'-5800'	58361	5827 '					
Birdwell		DLL	5300'-5799'							
Ŷ		CNL-FDC	200'-5826'							
McCullough		CBL-SS	39501-56631							

N-PDC

5250'-5666' PRODUCTION TEST DATA

1	OIL - Bbls/day	GRAVITY - "API	COND, Bbls/day	GAS - MCF/day	WATER - Bbls/day	H ₂ S - Grains/100 cu. ft.	B.H.P. AND DEPTH
1	012 50.57007	10,	••••••	' ' .	1		
	Λ	1	Λ ·	ໄ ສ)ເລືດ	1 72	l n	11773 psig @ 5561'
	U		0	J-2.03	1		1110 bore 0 005

I AM RESPONSIBLE FOR THIS REPORT. WITHIN MY KNOWLEDGE ALL FACTS ARE TRUE AND COMPLETE.

							<u> </u>		4 4 4	· · · · · · · · · · · · · · · · · · ·
DATE	9/12/79	District D	rilling &	Production	Supt.	SIGNATURE	eant	·Ku	ehle	æ

STATE OF MICHIGAN DEPARTMENT OF MATURAL RESOURCES

Submit in DUPLICATE Withus 30 Days after Well Completion

JUL 19 1979

LOG OF OIL, GAS, DISPOS OR STORAGE WELL (ACT 61)

PERMIT NUMBER
32,716 PRELIMINARY
D__ZENING PERMIT NUMBER

1	AME(S) & ADDRESS OF OWNER(S) SHOWN ON PERMIT Northern Michigan Exploration Company				PILLING		TRACT	OR(S)				
Northern Michigan Explo One Jackson Square, PO		'	L & G Drilling Company 3959 E. River Road									
Jackson, MI 49204	DOX 1130			leasant,		8858	3					
LEASE NAME(S) & WELL NUMBER :	SHOWN ON PERMIT	<u>L</u>		-		- 1	RECTIO			LLED		
State-Blair #3-21		· • · · · · · · · · · · · · · · · · · ·					YES NO 🔼					
SURFACE LOCATION NE SE NE	SECTION 21	TOWNSHIE	26N	RANGE 111	W	TC	HRNWC I	Blair				
FOOTAGES (North/South)			(East/West)				YTNUC	NAME				
860 Ft. from South	ine and 660		east Line of quarter section				Grand			se		
SUBSURFACE LOCATION	SECTION	TOWNSHIE	P RANGE TOWNS				HZNWC	IP NAM	16			
FOOTAGES (North/South)			ast/West)			CC	YTNUC	NAME				
Ft. fromL DRILLING BEGUN	TOTAL DEPTH OF WE		TYPE WEL		section	\perp						
6/13/79	Driller 5836 Log_	5827	1					ELEVA	ATION	s		
A DRILLING COMPLETED 6/29/79	FORMATION AT T.D. Gray Niagaran		FT. DRLD.	- ROTARY	TOOLS 5827		.в. 9	00.3	R.F.	89	98.5	
WELL COMPLETED	PRODUCING FORMAT	rion(s)	ſ	- CABLE TO			т.		Grd.		٥.	
			From	то					·	88	85 	
CASING, CASING LINE	RS AND CEMENTING				PERF	ORAT	TIONS					
SIZE WHERE SET	CEMENT	Ft. Pulled	DATE	NUMBER	INTE		L PERF	30 A T	OPE		ΕN	
16" 64'	driven		UATE -	HOLES	13416	TVAL	LFERE	JAAIC		YES	NO	
11-3/4" 652'	425 200	ļ			ļ							
8-5/8" 3284' 5½" 5821	350		<u> </u>									
32 3021	330						-					
GROSS PAY INTE	RVALS		ALL OTHE	R OIL AND G	AS SHOV	/S OB:	SERVE	O OR L	OGGE	D		
FORMATION OIL OR GAS				OIL		1		RE OBS				
Niagaran	5475 5628	FORM	MATION	ORGAS	DEPTH	Sar	m- Odo	1	Mud Line	Gas Log.	Fill	
										1		
						_		<u> </u>	ļ			
								<u> </u>				
STIMULATION BY AC	ID OR FRACTURING		WAT	ER FILL UP ((F.U.) OR	LOST	CIRCL	LATIC	N (L.	(X) (C		
DATE Interval Treated	Materials and amoun	nt used	FORMATION F.U. L.C.		. DI	EPTH		AMC	UNT			
					<u> </u>		ļ					
										····		
		·				 	·····	+				
MECHANICAL LOGS, I	LIST EACH TYPE RUN		DEPTH CO	RRECTION	DEVIAT	ION S	SURVE	r Pi	UGGE	D BAC	сĸ	
Brand (X) LOG	TYPES LOGGED I	NTERVALS	DEPTH	CORRECT'N	RUNA	т р	EGREE	SYES	NO	DEI	РТН	
Schlumberger X MII.	5298-58	800	5836	5827	SI	Œ A	TTACH	BD S	нет	'		
Birdwell DI.I.	5300-5							1_				
CNL-FIX	C 200-5	826			1	-		-				
IA I	<u> </u>		<u> </u>	1	1		-					
OII Bhickey longuage		RODUCTIO			16.5	_11-	00 == **		B ^^	ID DEP	T-1-1	
OIL - Bbis/day GRAVITY - OAF	Pi COND. Bbis/day C	MS - MCF	day WATE	R — Bbis/day	725 – Gr	ains/ i i	00 ca. n	., B.F	.F. AI	10 027	l Fi	
I AM RESPONSIBLE FOR THIS REP												
	PORT. WITHIN MY KNO	WLEDGE A	LL FACTS A	RE TRUE A	ND COMP	LETE.						

·		

STATE OF MICHIGAN

PERMIT NUMBER		_	
3271	6		
FIELD NAME			

RICH 2968

DNR DISTRIBUT Permittee — Or Division Office	rig. & 1 copy	CES	PERMIT NUMB	32716			
Field Office — Others — On re	File copy	PERMIT T	O PLUG AND ABAN		FIELD NAME		
IAME AND ADO	RESS OF PERMITTEE						
Nor	thern Michigan	Exploration Co.					
EASE NAME A	ND WELL NO.						
	te Blair 3-21				,		_
OCATION (W W	4 1/4 or other)	SECTI	ON	TOWNSHIE)	COUNTY	
	SE NE.	21	^T 26N ^R 11W	Blair		nd Traverse	-
YPE OF WELL	(Oil, Gas, Dry Hole, etc.)	DATE COMPLETED	DATE PLUGGING WILL START	PLUGGING PERMIT R	EQUESTED BY	& DATE	
Dry	hole	8/20/79	8/21/79	1/79 8/20/79 Ma		rk Keelan	_
AST PRODUČT				PLUGGING TO BE DO	NE BY		
BOPD	BWPD	MCFGPD	DATE		Po	ole & Dowell	_
PERMIT MAILED	то		COPIES MAILED TO				
NME	C .						
507	Bay St.						
Tra	verse City, MI	49684					
			G AND CEMENTING RECORD				
HOLE DIA.	CASING DIA. & WT./FT.	DEPTHS SET	CEMENT QUANTITY, TYPE, ADDI	TIVES	CMT. TOP,	PERFORATIONS	
	16"	64	NP			5558-5581	
	113/4"	650	425		circl	(10 holes)	_
	85/8"	3284	200		2640	<u> </u>	_
	51/2"	5821	350			<u> </u>	_
					•		
KB	900.3	GEOLOGIC DATA; GAS AN	D OIL SHOWS; DRILLING AND CO	OMPLETION DATA:			
EL	OG TOPS:						
ANT	1215	AMH 3164	B SAI	T 5006			
	1402	BB 3362	A2C 5	348			
	1460	BI 3790	A2E S		•		
	L 2043	SAL 4078	ATC 5				
	2150	F UNIT 4104	NIA S				
-	-						

F SALT 4140 RCA 2216 GR 5677 **E UNIT 4760** TD 5827 DRA 2325 DRS 2378 D SALT 4876 MASS 2924 C SH 4908

PLUGGING REQUIREMENTS* Plugging requirements outlined are to be executed in accordance with the provisions of Act 61, P.A. 1939, as amended, and rules and orders adopted thereunder.

Set cmt. retainer $5490' \pm and$ squeeze 50 sx Cl A thru perfs. Pull out retainer and spot 35 sx top retainer. Freept. and pull $5\frac{1}{2}$ " and 85/8". Run tubg top 85/8" stub and spot 75 sx. Spot 100 sx at 2200'. 75 sx at 1500, 100 sx at 675' and 10 sx top surf cg. Surf cg cut 3' below grd. level & capped w/welded plate.

*NOTE: BONDS CANNOT BE RELEASED UNTIL A PLUGGING IS COMPLETED, CELLAR RAT HOLE AND PITS FILLED, WELL SITE RESTORED AND RECORDS FILED, WATER WELLS MUST BE PLUGGED ACCORDING TO RULE 166 OF ACT 294 P.A. 1965, "GROUND WATER QUALITY CONTROL". It is further made a requirement of this permit that the applicant give notice to the public utilities in accordance with Act 53, P.A. 1974 C.L. 480.707 to 460.718 and comply with each of the requirements of the act.

AUTHORIZED BY (agnature)	OV 1	OFFICE	DATE
John	manda	Cadillac, Dist #6	8/21/79
$\sim M/N/N$			

NOTE: WELL PLUGGING RECORD Form R-7213 to be filled in TRIPLICATE within 30 days after completion.

•		
•		
		,

STATE OF MICHIGAN DEPARTMENT OF No PIRAL RESOURCES GEOLOGICAL & /EY DIVISION

LANSING HAS CHAY

AUG 27 II, 9 PA

v	VFI		Dŧ	1:1	cc	A12	C	R	F	\sim	ND	\Box
ν	V - I	1.	Г.		131	3 (I)	i CI	n	_	L.	'n	ப

(Submit in TRIPLICATE Within 30 Days After Plugging is Completed)

FIELD NAME

Blair "21"

COMPLETE NAME(S) AND ADDR	ESS OF WELL OWNER			
Northern Michigan Ex	oloration Company			
COMPLETE LEASE OR FARM NA	ME(S)			WELL NUMBER
State Blair				
WELL LOCATION		•	TOWNSHIP	COUNTY
NE ¼ SE ¼	NE % SEC.21 T. 26N	R. 11W	Blair	Grand Traverse
TYPE OF WELL (Oil, Gas, Dry Hole	e, etc.)	TOTAL DEPTH	FORMATION	
Dry	Hole	5827 '	Niagaran	
DATE PLUGGING STARTED	DATE PLUGGING COMPLETED		TIVE(S) WHO ISSUED PERM	MIT OR WITNESSED
8-21-79	8-23-79	PLUGGING Jo	hn M. Snider	

	CASING RECORD										
SIZE CASING	DEPTH SET	AMOUNT RECOVERED	SHOT OR RIPPED								
16"	64 '	None									
11 3/4"	650'	None									
8 5/8"	3284 '	2617'	Shot.								
5 1/2"	5821 '	4000'	Shot								

В	RIDGES OR PLU	GS
TYPE (Brush, Stone, Cement, Mechanical, etc.)	SACKS OF CEMENT AND ADDITIVES	
Cement Retainer	54751	50 above 35 belo
Cement	2580'	75 sx
Cement	2200'	100 sx •
Cement	1500'	75 sx
Cement	6751	100 sx
	1 000	•

in the hole before or during plugging?	XX YES	□NO.	See above casing record.
Did a Service Company pump mud, spot cement, or set bridge plugs?	XX YES	Пио	ff yes, give name and address: Dowell. Kalkaska, MT
Was the well plugged by a Company or Contractor other than Owner or Operator?	XX YES	□ио	If yes, give name and address: L & G Drilling Company.
Representatives of Owner, Operator, Company, oplugging: Mark Keelean	r Contractor v	vho witnessed	
tainer and squeeze 50 sx into pe and pulled 4000' of 5½" casing.	rforations Cut and p 75 sx plu	s. Pull ou oulled 261 ng. Spot	
			(USE REVERSE SIDE IF NEEDED)

"I state that I am author tion, and that the facts s	ized by said Owner or Operator to ma tated herein are true, correct and com	CERTIFICATION ake this report; and that the operation of the best of my known in the best of my known	is report was prepared under owledge."	my supervision a	nd dire
NAME AND TITLE (Typed Mark Keelean			COMPANY NAME AND ADD Northern Michigan		Co.
Mark 1	Keelian	DATE (Month, Day, Year) 8-24-79	507 Bay Street Traverse City, MI	49684	
					R 7213

12/12/79 Location leveled and water well pulled Booker

Willen Berk Geological Sway 12.13-75

	astons.					Gr	d		K.B.		
Fo	rm Dept	th Lo	g	Datu	ım	Form	Dept	h	Log		R.F.
Drit	t K	B 90	2.	3			1	+	cog	Datum	
	<u>E LO</u>	G TO	25					\dashv		 	-
	ANT.	1215		-		Sal	-	+		 	
TG	TF 1	402	Ţ			F	_	_			
BL	TL 14	460	Ţ			E		+			"
Stra	y BELL	2043	3			D	<u> </u>	+			
Pay	DD 2.	150				Ç,		_			-
Wtr	RCA 2	2216	\top			BEv.	 	\dashv			-
Mars	DRA 2	2325	\top			A2C	<u> </u>	+		-	
Wtr	DRS 2	2378			7	A2Ev					-
Cwrr	MASS	2924			,	Alc		╁			-
Sun	RICH	2968			F	ay					
Ber	<u> AMH 3</u>	164			1	1-1 Ev		\top			
Pay	BB 33	62	7		E	3N		+			-
Wtr	BI 37	90			F	ay		╁			-
Ant	SAL 4	078	T		G	N		+-			-
TF	FUNT		าน		10	1		+-			4
TL	F SAL	1 41	an		o	inn		+-	-+	-	4
Pay	E LINT	T 47	sh	*	U			+-	-		-
Wtr	D SAL		76		Ti	ent	· · · · · · · · · · · · · · · · · · ·	+			-
Dd	C SH	4908	1		P:	ay		+-	-+		4
Pay	B SAL	,	be	:	Bi	₹F		+			-
Wtr	A2C 5	148			G	~		-			1
RCA	12F 5/	11/	Г		SF	,		+-			┨
RCD	A1C 5/	122			Pd	ic		 -	\dashv		1
DR	IIA 5/	160			Ca	mb		 -	- -		\ \ \
M.S.	3R 567	7			_			 - -	- -		
S.Z.	D 582	7				-		-			ĺ
M.A.	D 302				PE	\top			-		
Rich.					TD						1
-					PB	TD .		<u> </u>	 		
Sylv.					I.P.				- -		
Plug g			co	RES, C	S.T.	s. Sho	ws, LC.	Z.'s.			
Plug'g	Comm.										
Plug g	Comp.										*
Plug'g I											
Site Red	:l'm										
Site App	o'l.										
B-7217										- }	

From
Twp. Blair
Loc. NE SE NE, Sec. 21 T. 26 R. 11W
From
Contractor Pole & Dowell Comm. Plug 8/21/79 Comp. SEC. 21 PlugGING SUMMARY Bridges/Plugs Casing Pulled
Comm. PLUG 8/21/79
PLUG 8/21/79 Comp. SEC. 21 PLUGGING SUMMARY
#OLE CASING CEMENT Dia. Depth Dia. Wt. Depth Sacks TOC
#OLE CASING CEMENT Dia. Depth Dia. Wt. Depth Sacks TOC
Dia. Depth Dia. Wt. Depth Sacks TOC 16" 64 113/4"650 85/8" 3284 5½" 5821 200 2640 Cmt retnr 5490 & squeeze 50 sx C1 A thru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Dia. Depth Dia. Wt. Depth Sacks TOC 16" 64 113/4"650 85/8" 3284 5½" 5821 200 2640 Cmt retnr 5490 & squeeze 50 sx C1 A thru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Dia. Depth Dia. Wt. Depth Sacks TOC 16" 64 113/4"650 85/8" 3284 5½" 5821 200 2640 2640 5½" 5821 350 Cmt retnr 5490 & squeeze 50 sx C1 A *hru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8" Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Dia. Depth Dia. Wt. Depth Sacks TOC 16" 64 113/4"650 85/8" 3284 5½" 5821 200 2640 2640 5½" 5821 350 Cmt retnr 5490 & squeeze 50 sx C1 A *hru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8" Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Dia. Depth Dia. Wt. Depth Sacks TOC 16" 64 113/4"650 85/8" 3284 5½" 5821 200 2640 Cmt retnr 5490 & squeeze 50 sx C1 A thru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Dia. Depth Dia. Wt. Depth Sacks TOC 16" 64 113/4"650 85/8" 3284 5½" 5821 200 2640 Cmt retnr 5490 & squeeze 50 sx C1 A thru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
16" 64
113/4"650 85/8" 3284 5½" 5821 200 2640 5½" 5821 350 Cmt retnr 5490 & squeeze 50 sx C1 A thru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
S5/8" 3284 200 2640 350 200 2
S5/8" 3284 200 2640 350 350 350
Cmt retnr 5490 & squeeze 50 sx Cl A hru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Cmt retnr 5490 & squeeze 50 sx Cl A chru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Cmt retnr 5490 & squeeze 50 sx Cl A hru perfs. Pull out retnr & spot 35 top retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
retnr. Freept & pull 5½" & 85/8". Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Run tubg top 85/8" stub & spot 75 sx Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
Spot 100 sx at 2200. 75 sx at 1500 100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
100 sx at 675 and 10 sx top surf csg Surf csg cut 3' below grd can
csg Surf csg cut 3' below grd can
<u>csy surf csg cut 3' below ard can</u>
w/welded plate.

FIELD	ALK	_ PERMI	T <u>32</u>	716	
EXPLORATORY		PVII	D.P.		
FACILITY	RE(Cords di	JE:		
OTHER					
	h Expl Co.	FORM.	DEPTH	LOG	DATUM
FARM: State Blair		DRIFT			
COUNTY Grand Trav	TWP. Blair	TG	,		
LOCATION NE SE NE,		BL			
NLSL	EL WL	STRAY	ANT		1215'E
		MARSH	TF		1402'E
CASING RECORD	ELEVATIONS	CRR	TL		1460'E
	G FLOOR	SUN	BELL		2043 E
	B. 900.3	BE	DD		2150'E
\perp R.	T. 1	ANT	RCA		2216'E
11130/4" 650' 425 GR	OUND	TF	DRA		2325 'E
85 <i>8</i> 8" 3284 200 DR	LG. COMM. 6/13/79	TL	DRS	9	2378 'E
7 DR	LG. COMP. 6/28/79	ALP	MASS		2924'
6 WE	LL COMP.	BELL			
5½ 5821 350 DE	EP. COMM.	DD			
DE	EP. COMP.	RCA			
	ST CIRC. ZONES	RCD	RICH 2	0711	2968
CONTRACTOR			MH	9/1	3164'E
Calverts Eastern Drlg.		SYLV	1111		13104 L
ROTARY XX	POROSITY	ВВ			3362'E
	STRAY	BĪ	3048	ς	3790 E
1	MARSH	SAL	3040		4078 E
	BE.	E F UN	TT		4104'E
L&G #3 Ø 105/8" hole	TL -	D F Sa	1+		4140'E
at 948 w/FW	16	C 1 30	Ø E Ur	4+	4760 E
	DD	B EVAP	Dsalt		
6/20 Ø 3286'		A ₂ CARB			4876 4908
	RCD	A ₂ EVAP	CSh 4		4900
	DR		BUnit	19/9's	FOOCIE
6/22/79 Ø 77/8" hole at		A1EVAP	BSalt	5011'S	5006 'E
3844' W/FW	32	B NIAG		347'dr	5348
6/25/79 Ø at 5208 & doubl	DICH	W NIAG		418'dr	5414
checking	KICII.	CL	AIL 5	445'Dr	5432
	E	CINN			
	A ₁	TRENT	N÷ - F	176 LD:	EACO.
	NIAG.	BRF		476' <u>D</u> r	5469
700 2640	TRENT		Gray		5677-
	BRF	GW SP	TD		FOCT
	VW	PDC	TD		5827'
	A M	CAMB			
		CAMP			
WELL COMPLETED AS:	OIL STORES				
PRODUCING FORMATION	OIL GAS GAS				
GRAVITY API					
GRAVIII API					
(N) TD		DOEC			\$
(N) IP (A) IP		PREC			
	00	PBTD			
CHOKE TP	CP	T.D.			

PERFORATIONS AND TREATMENT

DATE HOLES	DEPTH	ACID		REMARKS	-
		~····			(
			ļ		
			 		
			 		
			 		
			 		
					
					 ·
	- 	CUT REC.	DST 1		
CORE 1	· · · · · · · · · · · · · · · · · · ·				
CORE 2					
CORE 3					
CORE 4			IHMP	FSIP	
CORE 5			ISIP	FHMP	
CORE 6			IFP		
CORE 7			FFP		
CORE 8 6/15/79 108/6	A" 650 & C	mt d w/2	Koz o		
225 sy noz & 201	n sym A	Tirel 20	1951 2 1 hh 15 to 3	surf. (BB) _{6/18/79}	
mud wt 10.5#/a	3 3 01 71.	200 000 C	100 13 CO .	6/20/79 mud wt 10.	<u>- 4/</u>
gal 30 vis 230.	0000ch To	set 85/	R" at this	pt & to cmt w/200	0#1
CT A. (BB) X 6	722/79 100	2640 PT	THMP	FSIP	3
at 3124 (BB) 6	/25/79 ren	lacing	ISIP	FHMP	
leaky valve. Pro	es mud wt	10.4#/ga	TEP		
29 vis 260,000 d	chs. (BB)	5/27/79	XXX doubl	e ck press tested	BBRS
ck manifodd to	3000 Psi	for 20	mins Set p	e ck press tested kr at 3100' & tes	ted
85/8" csg to 2	2500 psig :	surf pres	DST 3		
for 20 mins. N	lo leaks Mu	id wt 11.	O 1b/gal v	is 34 secs/ft. chs	5
220,000 PPM &	filtrate /	\t 15. X (UFW) B/2/7	9 ran 5½" to 5821	& cmd
w/250 sx poz					
8/17, 51	TR 15	0V.	IHMP	FSIP	
5,	CP 16	700	ISIP	FHMP	
			IFP		
Tof the Clfu	KE XI	HRS	FFP		
-/ 07 -/	13 501 44	5 BAUS		CODDECTIONS	
FIDERAL LL	WATER	77.7-7		CORRECTIONS	
8/21/26 10	TO VED		POSE NO	VING IN-	_
	39.1212	1-/1 - 1	10018-1160	CING IN-	
12/12/79 Loc 1	eveled & w	tr well	oulled. (B	3)	
				· /	
					—(
D7204 D772					
R7304 R/73					

Form App. ved. OMB No. 2040-0042. Expires UNITED STATES ENVIRONMENTAL PROTECTION AGENCY I. EPA ID NUMBER UNDERGROUND INJECTION CONTROL SEPA PERMIT APPLICATION (Collected under the authority of the Sale Drinking Water Act. Sections 1421, 1422, 40 CFR 144) READ ATTACHED INSTRUCTIONS BEFORE STARTING FOR OFFICIAL USE ONLY on accrowed Date Received your day Permit/Well Number Comments MI-055-20-0015 LITY NAME AND ADDRESS III. OWNER/OPERATOR AND ADDRESS Owner/Operator Name Blair #5-21 S. W.D. Mich. Permit #34713 Dennis Hogen ddress Street Address SE/4 NE/4 Section 21 T26N. 4<u>18</u> S. Maple st State ZIP Code State ZIP Code ind Traverse County Mich 49684 <u>Kalkaska</u> 49646 NERSHIP STATUS (Mark 'x') Mich. V. SIC CODES XX B. State ederal C. Private E. Other (Explain) ubric L STATUS (Mark 'x') Date Started B. Modification/Conversion C. Proposed 82 OF PERMIT REQUESTED (Mark 'x' and specify if required) Number of Exist-Number of Pro-Name(s) of field(s) or project(s) dividual B. Area ing wells posed wells Blair pool A SS AND TYPE OF WELL (see reverse) s(es) B. Type(s) C. If class is "other" or type is code 'x,' explain D. Number of wells per type (if area permit) ode(s)) (enter code(s)) TION OF WELL(S) OR APPROXIMATE CENTER OF FIELD OR PROJECT X. INDIAN LANDS (Mark 'x') atitude B. Longitude Township and Range Min | Sec Twsp Range Sec 1/4 Sec Feet from Feet from ☐ Yes Line No. 85 38 121 26N | 11W | S 760 implete the following questions on a separate sheet(s) and number accordingly; see instructions) CLASSES I, II, III (and other classes) complete and submit on separate sheet(s) Attachments A — U (pp 2-6) as opriate. Attach maps where required. List attachments by letter which are applicable and are included with FICATION CONTRACTOR OF THE PROPERTY OF THE PRO rtify under the penalty of law that I have personally examined and am familiar with the rmation submitted in this document and all attachments and that, based on my inquiry of e individuals immediately responsible for obtaining the information, I believe that the rmation is true, accurate, and complete. I am aware that there are significant penalties for mitting false information, including the possibility of fine and imprisonment. (Ref. 40 CFR nd Title (Type or Print) B. Phone No. (Area Code and No.) nnis Hogerheide

616-258-9134

D. Date Signed

520-6 (2-84)

them

APPLICATION FOR ' IIT TO DRILL OR DEEPEN A WELL FOR OIL, GAS, BRINE DISPOSAL, HYDROCARBON STORAGE OR SECONDARY RECOVERY

Under Authority of Act 61, P.A. of 1939, As Amended

MAIL TO:
STATE OF MICHIGAN
DEPARTMENT OF NATURAL RESOURCES
GEOLOGICAL SURVEY DIVISION
Box 30028, Lansing, Michigan 48909

Nave yease No. 8998													
1	DE	2. ☐ Fed Employer Ident. No. ☐ Soc. Security No. 38–225–7938											
3. Application for permi		Hudeo	carbon	4. Application to: (no fee required)									
⊠ or Gas □	Brine Disposat	☐ Storag		Secondary Recovery		eepen [Revis	cation 🔲	Cancel and	□ No		1	100,00
6. Do prior permits exist	for this well?			it: (name each					114113131	140	16		
☑ No ☐ Yes	Drilled	Termin'd	ı (``										
7. List each permit num					_				•				
	÷			rt Raff									
			9. Address	(operator onl	ly if more	e than one	('owner')	1		Phone:			
LOCATE WEL			1										
ON SECTION		U ACRES	346	E. Fron	t St	., Tra	ivers	e City,	MI 49684	616	-946-	1140	
	N (10. Lense	or well name:	(be brief	as possit	le)			Well nur	nber:		
				e-Blair						5-2	11		
			11. Surface	owner:								·	
		k-4-4.	Stat	e of Mi	chiga	an							
	1 !	i o `	12. Addres										
│ │ │ │ │ │	· - - -										100.01		
w i			13. Surface	location desc	ription								
" -	-	1 1 7	NW H	/2 - of	SE	14 of	NE w	Section 21	т. 2	26N	a. 11	T _e J	
├¦¦	-4-4-	+	14. Townsh		~~		.,,			County	n. 11	*1	
			Blai	` 						· -			
	7777			hole location	descript	ion if dire	tional del			Grand	lrav	erse	
	. – ↓ – ;	ţ-ţ-1		V4 of	Queci ipi	1/4 of		Section	τ.		_		
	-		16. Townst			74 ()	74	Section	1.		R.		
<u> </u>	S									County		•	
17. LOCATE WELL IN T		S FROM NEARES	ST LINES OF C	HADTED SEC	TION AN	D DRILLIA	C LINE						
Prode and													
s. Location: 86	O n. Tre	om (N/S)SC	uth	Line of quar	rter sectio	on. ANO	76	50n	from (E/W)_I	Cast	Line of g	uarter sec	tion.
Bot Hole													
b. Location:	ft. fro	om (N/S)		_Line of qua-	rter secti	on AND			from (E/W)		Line of qu	arter sec	tion.
Drilling													
c. Unit: 46	0 ft. fr	om (N/S) N	orth	Line of	drilling u	ınit ANI	-76	50 _{ft}	from (E/W)	East	Line c	d deitling	unit
t8. Drilling contractor:	—··				Address						lephone:	dining	41111.
Nicor Dril	ling Co.		Rox	36 12	54 W	M_33	Car	tland M	+		•	270	
19. Kind of tools (Roter	y, cable, combin	nation) 20. Inter	nded depth	21.	ntended	formation	رمن 12	2. Is sour oil o	T das expected	<u> </u>	732 - 2	310	
Rotarv			53601	-	D	, , , , , , , , , , , , , , , , , , ,	- 1			Instructions	ttem 6)		
	teit anniament s					Niag.		No 🗆	Yes (Sec		,		
23. Blowout control (De	ren edospiseur (ype, size, trim, r.	sting, lesting, o	hoke menifold	1. etc. Se	e instructi	ons, item	7)			~		
						1.							
24.		PROPOS	ED DOULL	NO 0401N	0 05	105AITIA							
<u> </u>	OLE	FROFOS	ED DRILL	NG, CASIN			G AND	SEALING	1				
-Depth	Geol. Form	Bu Dia	O.B. Sha	T 150 450		ING	4	T	+	ENT	ļ <u>.</u>	MUD	
- Jepin	Geol. Form	Bit Die.	O.D. Size	Wt/Ft.		le — Con	dition	Depth	Sacks	W.O.C.(hrs.)	Wt.	Vis.	W.L.
4E01	CL = 1 -	1 - 11	16"	1	New New			90'	Driven			L	
6501	Shale	15"	11 3/4"	42 #/1		-55	New	650'	Circ.	12	SP	סע	MUD
3300'	Amhstbg	10 5/8"	8 5/8"	32 #/1		<u>-55</u>	New	3300'	300	12	Wa	er	I
5360'	Bn Niag	7 7/8"	5 1/2"	151 #/1	ft K	- 55	New	5370'	300		10.8		15
													1
											†		
25. Send correspondence	e and permit to	Add	rets							d	<u> </u>		·
Robert Ra	ffaele.	Inc., 346	E. From	nt St	Trav	erse	City.	MI 4968	34				
		LEAVE BLANK						ant's agent: (Pr				Phone:	
Date Issued Permit Number								affaele	•				140
6-14-8/ 1 TO DRILL 34,713							lure of ag					946-1	140
	7 70 70	 DEEPEN	+-=-			ari Gigina	-//-	1 1 1	1/1		1	Date.	
FOR CA	,	ONLY. DO NO	T WRITE IM	THIS SDAC			[lot	cr/ /4	Hale		Upr.	3 1	<u> 181 - </u>
'R-7-81 ₩	3 3 2	100.0	114	BEAU	-			For C	eological S	Survey Us	e Only	-	
. = .	J - L	I to be to			.			nsing file	4.	Pink Re	gion revi		
								ashier copy trict review		Goldenrod Green — A			

INSTRUCTIONS FOR PREPARING APPLICATION FOR PERMIT TO DRILL OR DEEPEN

- 1. Use Form R-7207. Each set has six sheets. The green will be returned when a permit is issued. "Owner" means the person who has the right to drill into and produce from any pool. An applicant may be one or more owners.
- 2. A BOND for each "owner" must accompany an application or have been previously filed, it may be surety or cash. For details consult the Geological Survey Division. Department of Treasury procedures require either a Federal Employer Identification Number or a Social Security Number whenever deposits are received.
- 3. PERMIT FEE (5) must accompany applications for permit to drill. No fee is required for an application for permit to deepen, a revised application, or to cancel and transfer an existing permit. An application to cancel and transfer a permit must be accompanied by the original permit. Write checks payable to "State of Michigan." For a fee amount consult Act 61 or Geological Survey Division. Department of Treasury requirements prevent refund of fees without either a Federal Employer Identification Number or Social Security Number.
- 4. WELL LOCATION SURVEY (13, 14, 17a, and 17c) Submit 5 copies of form R-7208 "Survey of Well location." Surveyors plat(s) may be substituted for form R-7208 provided they contain complete information required. Submit supplemental information and maps if a lake, stream, swamp, building, road, powerline, etc., is within one-quarter mile of location. Using data from plat(s) complete sections 13, 14, 17a, and 17c. If vertical drill, Section 17b may be omitted. See special instructions for directional drills.
- 5. DIRECTIONAL DRILL WELL LOCATION (15, 16, 17a, 17b, and 17c) Provide supplemental plat(s) showing location and description of intended directional drill bottom hole location. Give correct footage measurements of intended bottom hole location from the NEAREST quarter section lines and from NEAREST unit lines. Show and give dimensions of bottom hole target area. Using data from plat(s) complete sections 15, 16, 17a, 17b, and 17c.
- 6. SOUR OIL OR GAS (22) If well is located in an area where sour oil and gas is likely to be encountered, the drilling and the operation must follow special requirements to protect against the danger of Hydrogen Sulfide (H2S) gas. Instructions and equidelines for sour oil and gas wells provided upon request.
- 7. BLOWOUT CONTROL (23) Provide detail of the blowout prevention or cable tool wellhead equipment to be used. Supplement sheet R-7207-S1 "Wellhead Blowout Control System," or other may be attached if applicable.
- 8. PROGRAM OF DRILLING, CASING, CEMENTING AND SEALING (24) Provide all data applicable to the proposed drilling. Should the proposed program of drilling, casing, cementing, and sealing not conform with those established by rule, regulation or order, requests for exceptions to any of these must accompany an application for permit. Provide 5 copies of attachments.
- 9. DIRECTIONAL DRILL ENGINEERING PROGRAM. Include deviation kick-off points, degree of deviation intended, proposed depth and true vertical depth of the bottom hole. Specify the lateral distance and direction from the surface location to the proposed bottom hole location. Give name and address of the engineering company who will direct the deviation of the well bore and other pertinent information. Provide 5 copies of directional drill program.
- 10. ENVIRONMENTAL IMPACT ASSESSMENT. Submit five copies of Environmental Impact Assessment. "Instructions and Guidelines for Preparation of Environmental Impact Assessment" provided upon request.
- 11. WELL ELEVATION. Furnish with well location survey or certify that an elevation will be run and submitted within fourteen days after drilling commences.
- 12. DEEPEN DRILLING WELL. Submit R-7207 application for permit to deepen a drilling well to deeper pays or formations. A fee is not required. Include deepening information in the "Log of Oil, Gas, Disposal or Storage Well" (R-7210) when the well log is filed.
- 13. DEEPEN OLD WELL (OWDD). Submit R-7207 application for permit to deepen an old well. Attach a narrative describing the proposed operation. Include detail of the drilling and completion and any other changes in the well or its status which may result. No fee is required. Submit deepening information on "Well Rework Record" (R-7212) upon completion.

NOTICE: When drilling commences, the proper area field office MUST be notified!

East Lansing (517) 339-8638

8562 E. Stoll Rd., 48823

Mt. Pleasant (517) 773-9965 204 Court St., 48858 Imlay City (313) 724-2015

P.O. Box 218, 48444

Plainwell (616) 685-6851 P.O. Box 355, 49080

Cadillac (616) 775-9727

P.O. Box 629, 49601

Gaylord (517) 732-3541 P.O. Box 576, 49735

THE SUPERVISOR OF WELLS IS PROHIBITED BY LAW FROM ISSUING A DRILLING PERMIT TO ANY OWNER OR OPERATOR WHO IS IN VIOLATION OF ANY OF THE PROVISIONS OF ACT 61 P.A. 1939, AS AMENDED, OR ANY OF THE RULES OR ORDERS PROMULGATED THEREUNDER.

STATE OF MICHIGAN

DEPARTMENT OF NATURAL RESOURCES

Nº 6964

SUPERVISOR OF WELLS

PERMIT TO DRILL

For Auditing Only

(POST ORIGINAL AT DRILL SITE)

	hereby granted to RODERT KATTAGIE, INC. Owner 346 E. Front St., Traverse City, MI 49684
	Address
ease Name	State-Blair Well Number 5-21
ocation	NWA SEA NEW Section 21, T.26N., R.11W., Blair Twp., Grand Traverse Co
ootages	860' from south and 760' from east line of quarter section
	460' from north and 760' from east line of drilling unit

This permit is issued subject to the provisions of Act 61, P.A. 1939, as amended, and rules, requirements, or orders issued by the Supervisor of Wells and Department of Natural Resources.

SUPERVISOR OF WELLS

Cament

CASING AND SEALING REQUIREMENTS

	only most am		Admet! C				
0.D. Size	Wt./FtGrade-Condition	Depth	Sacks	woc (hrs.)			
16"	New	90	driven				
11 3/4"	42#/ft. K-55 new	650	Circ.	12			
8 5/8"	32#/ft. K-55 new	3300	300	12			
Sign .	15'∰/ft. K-55 new	5370	300	•			

Casing Program

NOTICE

- **DEPARTMENT OF NATURAL RESOURCES FIELD OFFICES** must be notified prior to the commencement of drilling, deepening, reworking, and plugging.
- DRILLING OPERATIONS ARE NOT TO BE COMMENCED until all the well location requirements have been completed and the permit has been posted in a conspicuous place at the well site.
- DRILLING PERMIT ISSUED on the basis of the drilling, casing and sealing program as outlined on the application for permit and subject to requirements as set forth above. No change shall be made without approval of the Supervisor of Wells representative.
- IT IS FURTHER MADE A REQUIREMENT OF THIS PERMIT that the applicant give notice to the Public Utilities in accordance with Act 53, P.A. 1974 C.L. 460.701 to 460.718 and comply with each of the requirements of the act.
- TO RETAIN ELIGIBILTY for Natural Gas Policy Act (NGPA) prices for Antrim shale gas after January 1, 1980 a Permittee must file a Crude Oil Windfall Profit Tax (COWPT) waiver with the Federal Energy Regulatory Commission (FERC) prior to commencing the drilling of a well.

STATE OF MICHIGAN DEPARTMENT OF NATURAL RES GEOLOGY DIVISION

SURVEY RECORD OF WELL LOCATION

(Submit in quadruplicate with Application for Permit to Drill a Well for Oil or Gas, Brine Disposal, Secondary Recovery, or Gas or L.P.G. Storage)

LESSEE (OW	NER OF	LEASE RIGH	TS)		···									
L Bo	hert F	?affaala	Tno .							•		_		
LESSOR (OW	NER OF	MINERAL RI	GHTS)										WELL NO.	
LOCATION	ate -	Blair											5-21	
	NW	% OF	SE	% OF	,	NE	v.	SECTION	0.7	1				
TOWNSHIP						IVE,	COUN		21		т.	26N	R.	<u> 11W</u>
B1	air To	wnship						Grand '	Traver	se C	∩มก£ข		-	
-PLAT	BELOW F	REPRESENT	rs one fu	LL SECTIO	N	•	1.	Outline	drilling	unit	and s	not we	ell location	on of
		(1 Mile S	quare)	•		N		at left.	Where	drilli	ng un	it cros	ses sectio	on line:
. •				:				divide ti	he plat	into a	an eas	t half a	ind a west	half O
-	į					- 1		a north	half an	das	outh I	half (w	hich ever	applies
7.00	•	1	1		.,	-		direction	ne from	NEA NEA	and k	ocate	the well	in tw
	į	700	?! \	Nell Si	te –	[,	ý	lines.	na mon	NEA	WE91	quarte	er section	and un
***************************************		- 3	i -		- /	F	J .							
			# 0 P P P				v	Locatioi quarter	n or we	ll in 1	wo di	rection	s from NI	EARES
	į	λ,	Unit		I true	√‼ ر	/ <u>}</u>							
Windows 1	į	2,	Stroff	NE 14	0	7	ų.	860	ft. from	Sou	uth	line of	Quarter Se	oction
			1	244	É		7	760		(north	-south)			.011011
	į		1	- tu to make and acco	**			760	ft. from	Eas	st	line of	Quarter Se	ection
	- !		As Bridge Train and	E-W.101	A CONTRACTOR OF THE PARTY OF TH	4		860	4 . 4	SOI	ıth			
		Sec	21	. x-w 14 (- 17	•	860	it. irom	(north-	south)	line of	unit	
	i		2,		E'4 Col	- 1	_	760	ft. from	Eas	st !	line of	it	
	:		l		rna z Do	""				(east-	west)	:III	Uffit	
- n confidence.							3. [Describe	wellsit	e ma	rker. S	Show o	r describe	ACCES!
**********	···•		**********		*********		1	oute if	it is no	t rea	dily a	ccessi	ble.	
	•						_	Wood	stake	at w	ell :	locati	lon. Set	
		i					-	offse	t stal	ces a	it 150)' in	Four Car	dinal
	-]					ł	-		tions.					
							-	Plair	Road Road	to v	orth	Leadi	ng to	
	<u>.</u>			<u>i</u>		4	-		noau,					
	(Scale o	of Plat — 1 in	ich equals 1	320 ft.)			***					 		
4							_							
4. ON	SEPA	RATE PLA	T OR PLO	OT PLAN:										
Δ	l ocete	identify ,			A									
7.	structui	identify, a res within	300 feet	of the et	to all ro	ads,	, pow	er lines,	resider	nces,	farm I	build i n	gs, and of	her
		50 W.W.	000 166(O: 1116 318	ake,									
₿.	Locate,	identify,	and show	v distance	s to all	lake	es. st	reams :	ewamne	dra	inaga		01 00 11 01	.
•	surface	water fea	itures with	hin 1320	feet of t	he s	stake.		owanip:	, 416	mraye	-ways	or any or	ner
8 1-														
. 5. in det	an Env	IRONMEN	TAL IMPA	ACT ASSE	SSMEN	T de	scrib	e all str	ructures	and	surta	ice fea	itures sho	wn
Uet	anniy ş	plans for of an er	nazaros	preventior	n and e	ros i	00 00	ontrol (See ins	struct	ions	and g	uidelines	for
					t assessi	men	t).		•					
ME OF INDI	VIDUAL	VHO SURVE	YED WELLS	ITE				DATE			TITL	.E		
DORESS	Jame	s L. Sch	wandt				Ma	rch 23,	, 1981				l Surveyo	r
NUME22	1 2 B	N. Court	Q4-		0- "					· · · · · · · · · · · · · · · · · · ·			tion No.	
ICERTIES				10.001	Gaylo	rd,	Mich	igan ^l	19735					
MATURE (LE	SSEFOR	BOVE INFO	D BERRESE	IS COMPLE	E LE AND	ACC	URAT	E TO TH	E BEST	OF MY	/ KNO	WLEDG	E AND BEL	.IEF
James	1	Sher	7 and	المالية المالية	UUME55 (1	r DIF	FEREN	IT THAN I	LESSEE)			DATE (N	IONTH, DAY	YEAR)

Granger Engineering Cadillac • Kalkaska • Gaylord Sault Ste. Marie Civil Engineers • Land Surveyors -- WORK FORM 25-0 SHEET E/4 LOK. 2000 7,0281 11,000 SUBJECT снк. File Code No. (Job No.) Owner Project PAFFAELS D

Store

Department of Natural Resources Geological Survey Divir

FIELD REVIEW OF PROPOSED WELL SITE

. Date of Inspection:	5/15/81
Name of Applicant	Robert Raffaele, Ing.
Well Name & Number:	State Blair 5-2
Legal Description: Surface Owner:	NW SE NE. Section 21, T26N, RIIW, Blair, Grand Traverse Co.
Topography:	State of Michigan Flat
ropograpity.	I I a C
. Cover Type/Density:	Grasses, some pine and aspen
Land Utilization:	State forest
State the type of and	
(14) mile.	d the direction and distance to surface waters within one-quarter None
(4)	
. Were soil erosion and	d sedimentation control measures adequately considered? If not,
specify additional re	equirements. Yes.

. Is it reasonable to e	expect to encounter U.C
Are drilling practice	expect to encounter H ₂ S while drilling this well? No.
requirements.	es proposed adequate for H ₂ S safety? If not, specify additional
Is the Environmental	Impact Assessment accurate and acceptable? Yes Specify
TO WILLINGS COLUMN T	nit will no alloword to monodius for the
fluide from our	ing. Full 20 mill. PVC liner used for receiving all drilling
Over liner plus and	interment be removed or totally encansulated with the folded
- Supervisor of Wolls	liner given approval prior to covering by a representative of
	MULTUTIEU GINUONEL HODE COMBINELAN
AGREES TO THEM THED	ATIVE WAS NOTIFIED OF ALL REQUIREMENTS AND/OR RESTRICTIONS AND
TORRES TO THEM. THERE	EFORE I RECOMMEND ISSUANCE OF A PERMIT TO DRILL FOR THE WELL SITE.
	\sim \sim \sim
GEOLOGICAL SURVEY DIV	ISION: Cadillac, D#6 BY: 1 15 5/18/81
	(signature) (date)
REGIONAL DIRECTOR:	legion II BY: Color live Preson 1-1-10
	(signature) (date)
	/ (3/gildcure) / (date)/

State of Michigan Department of Natural Resources Geological Survey Division

ADDENDUM TO FIELD REVIEW OF PROPOSED WELL SITE

- 12.— (Continued) Other site construction requirements and/or restrictions.
 - a. An unlined earthen pit used to receive fresh water muds prior to setting surface casing will be allowed.
 - _b. A 20 mil seamless PVC plastic liner shall be used for pits receiving drilling fluids from below the surface pipe.
 - c. All salt cuttings will be either fully dissolved or collected in containers off the shale shaker for approved disposal per Special Order No. 1-81.
 - d. All fluids in the lined pit shall be removed and disposed in accordance with Special Order #1-81.
 - e. Residual materials must either be removed or totally encapsulated with the folded over liner and/or an additional impermeable cover as needed, for burial at four feet below grade or deeper.
 - f. Approval of the encapsulation must be received from the Supervisor of Wells representative prior to the back-filling.
 - g. During well completion and test procedures, all fluids must be contained in steel tanks and transported to approved facilities for disposal.

VIE OF MICHIGAN DEPA. FOF NATURAL RESOURCES

WELL SITE PERMIT

GPROVAL SUBJECT TO ALL SPECIFIC AND GENERAL CONDITIONS CONTAINED HEREIN OF LEFF CTIVE UNTIL ISSUANCE OF DRILLING PERMIT

TOTAL PERMIT NO. DAMAGES \$ ISSUING LOCATION (Forest Area, ADDRESS City Percer

RMITTLE (Name and Address)

404 Y.

Esbert Pallegle Inc. sheet to the provisions of the law and the conditions herein contained, permission is hereby granted to the permittee indicated above to construct and/or in add and develop an oil or gas well drilling site on the following described state-owned lands: Mi R. Proof R.

TZGH BILIW See. 21 HAGSENSEN

State-Blair

m and after the Department of Natural Resources shall be referred to as DNR.

this permit is not an easement and does not convey exclusive right of the roads to the Permittee. Control and use of roads shall remain under the jurisdictic this perint is not an easement and does not convey exclusive right of the rosus to the remnittee. Control and use of rosus snatt remain under the jurisdictic the DNR whose authorized representatives shall have free access at all time to the property described above for all purposes including inspection.

Vil standing timber to be removed shall be paid for at the standard rates for right-of-way clearings established by the DNR prior to issuance of the dri

Permuttee and his employees shall take all reasonable precautions to prevent and suppress forest fires, shall cause no unnecessary damage to natural tree gro remattee and his employees shall take all reasonable precautions to prevent and suppress lotest tites, shall cause no unnecessary damage to natural tree groups of to any plantations, and shall be responsible for any damage other than ordinary to state property. Before burning any refuse or setting any fires whatsoe permittee shall obtain the required permit from this Department's authorized representative. The permittee shall maintain the area under permit in a clean and sightly condition,

is shall be the responsibility of the permittee to install adequate safety facilities and to provide adequate safety precautions.

The DNR and the State of Michigan and their agents, servants and employees, shall not be held liable for any injury or damages suffered by the permit resulting from the use of the premises herein described or arising out of the performance of any act or thing required of this permit, and the permittee data to the permit or the permit or demands that he may have a characteristic or the permittee of the permittee ferreby release and discharge the DNR and the State of Michigan, and their servants, agents and employees from any claims or demands that he may have with a state of michigan that he will indemnify and save harmless the said DNR and the State of Michigan, their servants a save harmless the said DNR and the State of Michigan, their servants, agents a supply sees from any claims and demands that any person may have to make in any manner arising out of any matter or thing related to this permit or the same of the said DNR and the State of Michigan, their servants, agents and demands that any person may have to make in any manner arising out of any matter or thing related to this permit or the said DNR and the State of Michigan.

t on struction or improvement of roads and the clearing of well sites shall not commence until course of roads and construction specification

SPECIAL CONDITIONS:	300		FT.	SCALE:	1" =	20	CHAINS
As such of the exible.	isting ped wil	1 be used	40			444	
If vell is coupred ted to seedling m life Division.	mark Lecomment	ations of	•	:		Aryon	C. I.
Accese will be off	or existing :	reeds.	•••••	••••••	•••••		Exi
			:	•		Pinc	
			•	\mathcal{P}_{VT}			New Charm 75'x 100'
					*****		75 × 100°
			•	•		Asim	
			•		(100	0.
						—	
			•		Ced	The same of the sa	مسع
read the conditions governing	this permit includion		•••••		•		:

DI PARTMENT REPRESENTATIVE (Signature & Title)

DATE

PERMITTEE (Signature)

DATE

ef. Permatee, Area Manager, District Forest Manager, Regional Forest Manager, Lansing Forest Management Div. Office

FIELD RECGIPIENDATIONS

ROAD ACCES THERETO	-DATE: 6/3/81
ACOLD HEREIU	FOREST: Traverse City
APPLICANT: Robert Reffecte Inc., 146 R. (Name)	. Front St., Traverse City, MI 49684 (Address)
LEGAL DESCRIPTION: T26N RIIW Sec. 21 No	•
DIMENSIONS OF WELL SITE: 300' X 300'	
LENGTH & WIDTH OF NEW ACCESS ROAD: N/A	
COVER TYPE/DENSITY: Open - R.	\ '' = =
SOIL TYPE & DRAINAGE PATTERN: Sandy soil,	
TOPOGRAPHY: Ptas	
OWNERSHIP PATTERN: Private land 1/4 mile	
NEAREST WATER: (Name) Mason Creek	(Direction & Distance) 1/2 mile south
WILDLIFE POPULATION PRESENT: Normal popu	
DAMAGE APPRAISAL: 4 cds. red pine (Quantity)	\$80.00
	(Amount)
MEARBY SCENIC, HISTORICAL, OR RECREATIONA	L AREAS: N/A
MARRATIVE:	
. (Include Fisheries & Wildli	fe Personnel Recommendation)
WILDLIFE REPRESENTATIVE INITIALS: RO	6-4-81 24 00/00/00
FISHERIES REPRESENTATIVE INITIALS:	H 6-5-81 H 1-2-87
SPECIAL CONDITIONS SHOULD THE PERMIT BE A	PPROVED: (Must be Included on PAGLZ)
	The fade of Major
1, THEREFORE, RECOMMEND/20 NOT RECOMMEND	ISSUANCE OF THIS PERMIT.
· · · · · · · · · · · · · · · · · · ·	Demand Subbard 6-3-81
DIST: File	REA FORESTEP DATE
District Forester Regional Forester	10/81 Saluda 6/10/81

8-22-75

OIL AND GAS OPERATIONS STATE OF MICHIGAN ENVIRONMENTAL IMPACT STATEMENT

Well Identification

Name of Applicant: Robert Raffaele, Inc.

Address: 346 E. Front Street

Traverse City, MI 49684

Well Name and Number: State Blair 5-21

Location: Northeast 1/4 of southeast 1/4 of northeast 1/4

Section 21, T26N, R11W

Blair Township, Grand Traverse County, Michigan

I. <u>Description of Project:</u>

A development well is to be drilled 760 feet from the east line and 860 feet from the south line of the northeast 1/4 of Section 21, T26N, R11W, to an anticipated depth of 5900 feet for the production of hydrocarbons from the Salina Niagaran formation. The well will be drilled on an 80 acre unit consisting of the south 1/2 of the northeast 1/4 of Section 21, T26N, R11W, Blair Township, Grand Traverse County, Michigan. Surface and mineral rights for the proposed drilling unit are held by the State of Michigan.

The proposed well site has been staked on nearly level land which is currently utilized for forest recreational purposes. Access to the proposed location will be from the south.

II. Environmental Impact Assessment:

The drilling and operation of a producing well at this location should have only a minimal effect on the ecological system of the vicinity. Wild-life is abundant throughout the region, but no special or endangered species are known to exist in the vicinity of the proposed well site. Operation of a producing well at this location should have no effect on future population patterns.

An area of approximately 2.0 acres will be required for drilling, and up to 3.5 acres may be needed if the well is productive. The proposed will site has been staked on nearly level land and only minimal earthwork will be required to prepare the drilling pad. Drill site preparation will require the removal of the existing cover which consists of planted third and fourth class Red Pine with scattered third and fourth class Poplar and Maple. Sufficient vegetation will remain to generally screen drilling operations from view of the public. Access to the proposed location will be from the South and will utilize an unimproved trail road which passes approximately 30 feet Easterly of the proposed well site. Only minimal upgrading of the existing trail road and some tree removal is anticipated to provide the necessary access. In the event that production is established, it may be necessary to further upgrade the access route in order to allow all-weather operations to be conducted.

Natural drainage at the proposed well site is Northwesterly with slopes of 1 to 3%. No open water or defined drainage channels exist within 500 feet of the proposed well site. No lakes or priniciple streams are found within 1320 feet of the proposed well site. An area of marginal marshland is located approximately 1000 feet Southerly of the well site. But the edge of this area is poorly defined. Appropriate drill site drainage and sedimentation control measures will be incorporated in the operational plan. These will include utilization of earthen dikes along any fill portion of the drilling pad perimeter, location of reserve pits in the cut portion of the drilling pad, and stabilization of slopes as needed. Because of the nearly level nature of the land in the vicinity of the proposed well site, no unusual drainage or erosional problems are anticipated at this location. Soils in the vicinity of the proposed well site have been classified as Kalkaska Loamy Sands which are generally well-drained.

Production equipment will require an area of approximately 65 by 325 feet included in the above mentioned 3.5 acres. It is anticipated that hydrocarbon liquids will be removed by truck and gas by pipeline. Consumers Power Company presently maintains a 4-inch gas transmission line which is located approximately 1000 feet Easterly of the proposed well site.

If the well is nonproductive, or upon abandonment, it will be plugged in accordance with D.N.R. instructions. The site will be fine-graded, stabilized, and reseeded with a mixture of grasses. If the well is productive, there will be a minimal effect on the immediate environment.

III. Possible Alternatives to the Proposed Well Location:

The proposed location has been selected on the basis of a seismic interpretation. Topographic conditions are generally well-suited for the proposed project. It is our opinion that adequate protection of the environment can be maintained at this location and we do not believe that further consideration of any alternative location should be necessary.

IV. Any Irreversible and Irretrievable Commitment of Resources:

The current shortage of oil and gas in the State of Michigan requires the efficient use of all resources. Production of oil and gas is an irreversible and irretrievable commitment of resources. However, this procedure is a necessary characteristic in the production of hydrocarbons. The surface resources of the drill site will not be irreversibly committed. Drilling of the well will not curtail the use of the surrounding environment.

V. Summary:

The proposed project is aimed at increasing the hydrocarbon reserves within the State of Michigan. The proposed well site has been staked on nearly level land and only minimal earthwork will be required to prepare the drilling pad. Access to the proposed location will be generally from the South and will utilize an existing trail road with only minor upgrading anticipated.

Drill site preparation will require removal of existing planted Red Pine and scattered hardwood trees now found at the site. Sufficient vegetation will remain to screen drilling operations from view of the public. No lakes or principle streams exist within 1320 feet of the proposed well site. An area of marginal marshland does begin approximately 1000 feet Southerly of the proposed well site. Appropriate drill site drainage and sedimentation control measures will be incorporated in the operational plan. The environmental impact of this well is considered to be minimal, and every effort will be made to insure protection and preservation of the environment during the course of the drilling operations.

Applicant's Representative

Comments by Supervisor of Wells or Department of Natural Resources Representative:

Authorized Representative

Raffaele inc. Perroleum Consultano

Office: 346 E. Front-Street Traverse City, Michigan 49684 (616) 946—1140

Residence: 325 Wellington Steet Traverse City, Michigan 49684 (616) 946 — 4106

March 31, 1981

Mr. S. Alguire Geological Survey Division Michigan Department of Natural Resources Box 30028 Stevens T. Masons Bldg. Lansing, MI 48909

Dear Mr. Alguire:

Enclosed is the permit application and supporting data for Robert Raffaele, Inc.'s State Blair #5-21 well located in section 21-26N-11W, Blair Township, Grand Traverse, Michigan. The unit described is acreage acquired from Northern Michigan Exploration Company on a farmout to Raffaele, Inc.


Nicor Drilling Company is scheduled to drill the well in May, 1981. Bonding will be posted by General Agency, Mount Pleasant, Michigan. If you have any questions, please do not hesitate to contact me.

Sincerely,

Robert P. Raffaele Petroleum Consultant

mr

Optional worksheet supplement for "Application for Permit to Drill or Deepen a Well for Oil, Gas, Brine Disposal, Hydrocarbon Storage or Secondary Recovery"



/ <u> </u>			18	성						Form Annrova	d. OMB No. 204	0.0040 =	
Forta			UNITEL	ATES E	NVIRONN	MENTAL P	ROTECTIO	N AGEN	CY	EPA ID NU	MBFR	J-0042. Expi	res 9-30-
4 3	EPA		UND	ERGRO	וו סמטכ	NJECT	ION COL	VTRO	L				T=
1	A		10-1	PER	MITA	PPLIC	ATION						T/A
UIC			W	lected und later Act. :	der the aut Sections 1	hority of 1	the Safe Di 2, 40 CFR	inking	U				
1							ICTIONS B		CTARTING	-			
					FO	R OFFIC	IAL USE O	NLY	JANTING				
Application approve	Application approved Date Received												
	1 1	1	+	Permit	Well Numb	oer				Comme	ents	57	
	·		MI	-055-9	NO-00	14							
II. FACILITY NA	ME AND ADD	RESS				1 200	III OVACE	UER (OR	ERATOR A		F	THE RESERVE THE PARTY OF THE PA	
Facility Name						• • • • • • • • • • • • • • • • • • • •		0.00		ND ADDRES	S		1964
State Blai	ir #5-21 °	S W F) M-	ich Pa	ermit #	2/1712			or Name	- ·		(0	
Street Address			- Lily	IIII C	2111116 11	34/13	Street A	aska	Ollife	d Servi	ces, Inc.		
NW/4, SE/4	NE/4 Sec	ction	21.	T26N.	R11W				aple st.				
City			•	State	ZIP Code	9	City	J. 110	apre se	<u>'</u>		T====	
Grand Tr	raverse Co	ounty	<u> </u>	Mich.	1 4968	4		kaska			State Mich.	ZIP Code 49646	
IV. OWNERSHIP	STATUS (Mai	k 'x')					V. SIC		organization		-743713-4443		ر اوا اوا
A. Federal	XX B. State		П.							i		. " , ; - ,	
L A. rederal	AA B. State		C. Pr	rivate									
D. Public	E. Other (Explair	ער						2				
VI. WELL STATU													
	Date Star		1990				0.03		1/4				7. 2
XX A.	mo day	year	XX B.	Modificati	on/Conve	rsion	C. Prop	osed					
Operating	8 2	82						A-C					
VII. TYPE OF PER	MIT REQUEST	TED (M	lark 'x' a	and specif	y if require	d)	to a second	## ** ****	Walter stone	1			
_			Numbe	r of Exist-	Number		7		or project(s	. () 2 강동 (). ek	લ અહ્યું, હુમિયુંથી હ		
A. Individual	LJ B. Area		ing wel	lls	posed w				or brolecti	5)			
				1			Bla	ir po	A foc				
VIII. CLASS AND	TYPE OF WEL	1 (see	reverse		-	# *			وراء شده التأثير				1 -10 - 00
A. Class(es) (enter code(s))	B. Type(s	"	C. If cla	ss is "oth	er" or type	is code '	x,' explain		D. Numbe	r of wells p	er type (if area	permit)	
	10000	13//								And the second s	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	parmy	
TT	D	ľ								•			
IX. LOCATION OF		APPRO	YIMATI	E CENTER	OF FIFE D	00.000	12 cm 6 cd	•					
C A. Latitude	B. Long	itude	Toy	wnship an	d Range	T PRO.	JECT A.S.		10.51	X. INDIAN	LANDS (Mark	'x')	1
Deg Min Se				Range		Feet fr	om Line	Cont.			(V)		
1 44 38 22		21	26N		21 NE	860	S	Feet fr 760		☐ Yes	No No		
XI. ATTACHMENT		and the second				NAME AND	£1, 4,		res at a Ma			·· . · · ·	
(Complete	the following	ng qu	estions	s on a se	aparate s	sheet(s)	and nun	phoe ac	2005din al-	• • •			
FOR CLASS	SES I. II. III (and o	ther cl	accecl c	omplete	224		inei ac	coraingly	y; see ins	tructions)		
appropriate	a. Attach m	aps w	vhere i	required	l list att	tachmo	omit on s	eparat	e sheet(s) Attachn	ructions) ients A — U and are inc	(pp 2-6) a	35
your applic	ation:			- qui ou	. 55. 61	aci ii ii e	IIIS DA IBI	ier wn	ich are a	pplicable	and are inc	luded wit	th
XII. CERTIFICATIO	N G			-	9				,				
	10 - 10 - 10	211 (211		37/237-								- (at	- Kalete
ו certify נ informati	ınder the	pen	alty c	of law	that I I	have p	ersona	llv ex	amined	and an	familiae	sasiah ah	AND SA
submittin 144.32)	g false in	form	nation	i. inclu	ding th	ne nos	cihility i	of fine	uiere ai	re signii	icant pen	alties to	1
144.32)			THE STATE OF THE STATE OF	9		.c pos.	sibility (11 11116	and in	IPrisoni	nent. (Ref	. 40 CF	9
					***	U.							
. Name and Title										ľa o	hone No. (Area	Code	A/- :
Kalkaska	a Oilfiel	d Se:	rvice	s, Inc	•					10.7	NO. [A788	can sud	va.J
	Hogerheid	ie, P	resid	ent							616-258	-9134	
C. Signature	. 1		4 12	rijku	(%					D. 0	ate Signed	2104	
11 - Vous	Alex (1 :	-	, Pi	residen	nt				1 5	G > -	100/	, 1

EPA Form 7520-6 (2-84)